

DUMPS ARENA

Administration of Veritas NetBackup 8.0

Veritas VCS-276

Version Demo

Total Demo Questions: 10

Total Premium Questions: 144

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

Topic Break Down

| Topic | No. of Questions |
|----------------------|------------------|
| Topic 1, Exam Pool A | 144 |
| Total | 144 |

QUESTION NO: 1

Using the default values in the activity monitor, a failed job is discovered among hundreds of jobs that ran during the evening. The administrator would like to view all related jobs to verify they completed successfully.

Where in the activity monitor can the administrator find all related jobs?

- A. right-click the failed job and select View Job hierarchy
- B. right-click the failed job and select Troubleshooter
- C. double-click the failed job and select the Detailed Status tab
- D. right-click the failed job and select Details

ANSWER: A**QUESTION NO: 2**

A restore must be performed. An administrator is attempting to view the valid images for a client, but the following error occurs:

WARNING: Server does not contain any valid images.

Which two parameters may be configured incorrectly? (Select two.)

- A. Schedule type for restores
- B. Destination client for restores
- C. Server to use for backups and restores
- D. Media Server for backups and restores
- E. Policy type for restores

ANSWER: C E**QUESTION NO: 3**

Upon arriving at work on a Monday, an administrator sees several replication Jobs that have failed with the following error message:

No images were successfully processed

Which two reasons may be the cause for the error code? (Select two.)

- A. The checkpoint restart is disabled for the replication Jobs.

- B. There are network connectivity issues between the source and target domains.
- C. The NetBackup host ID-based certificate was revoked.
- D. There is insufficient storage space on the target storage server.
- E. There are insufficient tapes in the replication volume pool.

ANSWER: A B

QUESTION NO: 4

A NetBackup administrator configures a policy to perform file system backups of multiple client systems using the Allow multiple data streams feature. All other policy attributes are at default settings.

Which Master Server parameter must be configured to enable the backup jobs from a client to run concurrently?

- A. Target storage unit: Maximum concurrent jobs
- B. Global Attributes: Maximum jobs per client
- C. Client Attributes: Maximum data streams
- D. Target storage unit: Enable multiplexing

ANSWER: B

QUESTION NO: 5

Which two storage unit types can be configured in NetBackup? (Select two.)

- A. deduplication
- B. NDMP
- C. robot
- D. media manager
- E. tape

ANSWER: B D

QUESTION NO: 6

A backup image on tape is due to expire in one week. The administrator needs to keep the image available for restore indefinitely.

Which two methods can be used to accomplish this goal? (Select two.)

- A. use the bpexptime command to change the expiration date of the image
- B. use the bpretlevel command to customize the retention level
- C. use the bpimmedia command to freeze the tape
- D. use the bpduplicate command to create a copy with an infinite retention
- E. use the vmchange command to change the expiration date of the tape

ANSWER: A D

QUESTION NO: 7

A UNIX client has the mount points listed below:

/var

/usr

/opt

/home

A backup policy for this client has "Allow multiple data streams" enabled and contains a backup selections list with the ALL_LOCAL_DRIVES directive. It also contains an exclude list that excludes /home.

What happens when this backup policy runs?

- A. all backup jobs complete successfully
- B. backup jobs are created for all mount points except for /home
- C. the backup job for /home is partially successful because /home is excluded
- D. the backup job for /home fails because /home is excluded

ANSWER: D

QUESTION NO: 8

An administrator runs the following command on the Master Server to test connectivity to a client:

```
bptestbpcd -client clientA
```

The administrator receives the following message:

```
<16> bptestbpcd main: Function ConnectToBPCD (clientA) failed: 25 cannot connect on socket
```

Which two reasons may cause the error message? (Select two.)

- A. an incorrect entry for the Master Server in the client's hosts file

- B. the NetBackup processes on the client are stopped
- C. the Master Server is unknown to the client
- D. an incorrect entry for the client in the Master Server's hosts file
- E. vnetd is stopped on the Master Server

ANSWER: B D

QUESTION NO: 9

A file system on a server is corrupt and a restore is required. The system is being backed up using True Image Restore with move detection enabled.

The most recent backups of this file system are displayed below.

- Monday: A full backup
- Tuesday: A differential incremental backup
- Wednesday: A cumulative incremental backup
- Thursday: A differential incremental backup

What is the minimum number of backup images that will be used to fully restore the server?

- A. one
- B. two
- C. three
- D. four

ANSWER: C

QUESTION NO: 10

The administrator of a large bank needs to preserve financial information for an extended period of time. The bank's NetBackup 8.0 catalog is now over 800GB in size, causing the catalog backups to contend for resources with production system backups.

How can the administrator shorten the time needed to back up the catalog?

- A. use the NetBackup 8.0 Agent for Symantec Enterprise Vault to perform an online archive of the catalog
- B. create a catalog archive policy and execute it from the command line using the bpcatarc command
- C. use the NetBackup 8.0 client-side deduplication feature to shorten the time it takes to perform a catalog backup

D. back up the catalog by scheduling an online Sybase database backup policy to allow the backup to run without contending for resources

ANSWER: B