

DUMPS ARENA

SMB Specialization for Engineers

Cisco 700-501

Version Demo

Total Demo Questions: 10

Total Premium Questions: 50

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which three components are in Cisco ExpressPod? (Choose three.)

- A. Cisco Application Server Engine
- B. Cisco UCS C-Series Servers
- C. EMC Storage
- D. HP Servers
- E. NetApp Storage
- F. Cisco Nexus Switches
- G. Fujitsu Storage

ANSWER: B E F**Explanation:**

ExpressPod provides a pre-packaged and tested solution bundle that is integrated and delivered by joint channel partners. ExpressPod integrates Cisco Unified Computing System™ (Cisco UCS) C-Series servers, NetApp FAS2220 or FAS2240 storage, Cisco Nexus 3048 switches, and infrastructure management with Cooperative Support, into an affordable, easy-to-deploy infrastructure solution.

QUESTION NO: 2

Which option describes server virtualization?

- A. Consolidation of multiple server workloads onto a smaller number of more powerful servers
- B. The aggregation of server workloads onto a smaller number of servers by running multiple server operating systems directly on the shared hardware
- C. Reduction of on-premises server requirements through the elimination of low utilization servers and the transition to a SaaS solution
- D. Consolidation of multiple server interface cards into a single network card that supports a large number of virtual interfaces

ANSWER: B**QUESTION NO: 3**

Which option is a function of the Cisco Multi-Gigabit Fabric in a Cisco ISR router?

- A. Provides connectivity between Cisco EHWIC, PVDM3, SM, and ISM modules through the backplane
- B. Provides connectivity only to the Cisco EHWIC modules
- C. Provides connectivity to the Cisco Nexus fabric switch through the uplink
- D. Provides connectivity to legacy interface modules
- E. Provides connectivity to the Cisco Enhanced EtherSwitch Service Module uplink ports

ANSWER: A

QUESTION NO: 4

Which two components are required for a Cisco centralized wireless deployment? (Choose two.)

- A. Cisco Centralized AirNet
- B. Cisco Wireless LAN Controller
- C. Cisco SIO
- D. Cisco AiroNet Access Point
- E. Cisco Prime
- F. Cisco ISR

ANSWER: B D

QUESTION NO: 5

Which best practice should be used to calculate PoE requirements for Cisco collaboration endpoints?

- A. Attach all endpoints first and then use a power reporting tool to document the power requirements.
- B. Assume that all ports with PoE endpoints attached will require 7 watts.
- C. Assume that all ports will require 15.4 watts regardless of attached endpoints.
- D. Select the endpoint device that requires the most power and assume that all endpoint devices will require the same amount.
- E. Determine the power requirements of each of your endpoints and plan to support that amount.

ANSWER: C

QUESTION NO: 6

Which two characteristics describe a successful mobility installation? (Choose two.)

- A. Cisco Telepresence EX90 JS
- B. Grow-as-you-go deployment
- C. Access to information by any user, from any location, from any device
- D. SMARTnet on every device

ANSWER: B C**QUESTION NO: 7**

Which wireless access point series supports Cisco ClientLink 2.0 and Cisco CleanAir, but does not support clustering?

- A. 300 Series
- B. 1600 Series
- C. 700 Series
- D. 2600 Series

ANSWER: D**Explanation:**

Reference: http://www.cisco.com/en/US/prod/collateral/wireless/ps5678/ps11203/C45-614928-00_Channel_AAG_Cisco_Unified_Wireless_Network_Portfolio.pdf

QUESTION NO: 8

Which two collaboration products are accessible (and relevant) to Express Collaboration Specialized partners? (Choose two.)

- A. Cisco Telepresence EX/90
- B. Cisco Unified Contact Center Enterprise
- C. Cisco CRS-X D
- D. Cisco ASA 5510
- E. Cisco Business Edition 6000

ANSWER: A E

QUESTION NO: 9

Your customer is considering migrating to a Cisco Borderless Routing solution from their current vendor.

Which best practice can close the sale?

- A. Demonstrate how the Cisco solution saves money by consolidating devices and integrating management.
- B. Mention that promotions and incentives are available through Cisco
- C. Go through a check list and compare the performance capabilities between Cisco and the other vendor.
- D. Show the customer a Cisco television commercial.

ANSWER: A

QUESTION NO: 10

Which two benefits does the Cisco FlexPod Design Guide provide? (Choose two.)

- A. Provides guidance on EMC VNXe storage sizing
- B. Provides a one-size-fits-all solution for ease of configuration and deployment
- C. Helps customers mitigate the risk and uncertainty involved in planning designing, and implementing virtualization
- D. Documents step-by-step instructions for installing and configuring all components, including third-party applications
- E. Provides a more predictive and adaptable architecture capable of meeting and exceeding customers' IT demands

ANSWER: C E

Explanation:

By introducing standardization, FlexPod helps customers mitigate the risk and uncertainty involved in planning, designing, and implementing a new data center infrastructure. The result is a more predictive and adaptable architecture capable of meeting and exceeding customers' IT demands.

Reference: http://www.cisco.com/en/US/docs/unified_computing/ucs/UCS_CVDs/flexpod_esxi51_ucsm2.html