

DUMPS ARENA

System Consultant, Genesys SIP SERVER (GCP8 - SIP)

Genesys GE0-807

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which of these components has the functionality of a redirect server? Choose 2 answers

- A. T Server
- B. SIP Server
- C. Network SIP Server
- D. Media Server

ANSWER: B D**QUESTION NO: 2**

When using Genesys Media Server, which of the following are the two types of supported media interfaces? (Choose 2 answers)

- A. ADSL
- B. NETANN
- C. MSML
- D. KVM / USB

ANSWER: B C**QUESTION NO: 3**

Sip Server 8.x introduced the overload control feature, which allows the specification of a value to limit the number of interactions SIP Server handles. At what percentage of this value does SIP Server reject all traffic?

- A. 101%
- B. 120%
- C. 130%
- D. 150%

ANSWER: B**QUESTION NO: 4**

Which two ways can Genesys Media Server integrate with SIP Server?

Choose 2 answers

- A. Directly
- B. Through GVP
- C. Through Proxy Manager
- D. Through Resource Manager

ANSWER: B D

QUESTION NO: 5

When configuring a Voice over IP Service ON in Genesys Administrator to enable treatment capability of Media Server using NET ANN, which options are mandatory in the TServer section of the Annex Tab of this DN? (Choose 2 answers)

- A. contact = host and port of the SIP server handling request for treatment
- B. contact = host and port of the Media Server handling request for treatment
- C. service-type = treatment
- D. request-uri = URI to be sent by SIP server to Media Server to play proper treatment (e.g. Filename to be played)
- E. name = name of the treatment to be played

ANSWER: B D

QUESTION NO: 6

You have enabled the internal registrar. However, SIP Server does not update the key called contact of the corresponding DN when the endpoint successfully registers with SIP Server. Which two actions are required to address this issue? (Choose 2 answers)

- A. Set the option 'external registrar' to false
- B. Set the option 'use-register-for-service-state' to true
- C. Set the 'internal-registrar-persistent' to true
- D. Grant 'change permissions' for the System account for the all DNs on the corresponding switch

ANSWER: C D

QUESTION NO: 7

You have 3 separate remote sites using SIP technology without PBX, One location needs MOH and MCU capability, second location needs MOH and treatment capability and third site needs MOH and recording capability, what is the minimal number of Media Servers you need to install?

- A. 0
- B. 1
- C. 2
- D. 3

ANSWER: C

QUESTION NO: 8

If registering process requires a password and it is not provided, what message will the registrar send?

- A. 400 Bad request
- B. 401 Unauthorized
- C. 402 Payment required
- D. 403 Forbidden
- E. 404 not found

ANSWER: B

QUESTION NO: 9

What is the default timeout defined in the SIP specification after which SIP Server will put a DN not responding to INVITE in Out of Service?

- A. 2 Seconds
- B. 4 Seconds
- C. 8 Seconds
- D. 16 Seconds
- E. 32 Seconds
- F. 64 Seconds

ANSWER: E

QUESTION NO: 10

What method can be used to send DTMF tones?

- A. UPDATE
- B. C INFO
- C. C MESSAGE
- D. C NOTIFY
- E. C OPTIONS

ANSWER: E