

# DUMPS ARENA

## HAAD Licensure Examination for Registered Nurses

HAAD HAAD-RN

Version Demo

Total Demo Questions: 10

Total Premium Questions: 150

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

A patient undergoes laminectomy. In the immediate post-operative period, the nurse should

- A. Monitor the patient's vital signs and log roll him to prone position
- B. Monitor the patient's vital signs and encourage him to ambulate
- C. Monitor the patient's vital signs and auscultate his bowel sounds
- D. Monitor the patient's vital signs, check sensation and motor power of the feet

**ANSWER: D**

**QUESTION NO: 2**

The purpose of a cardiac pacemaker is to:

- A. Initiate and maintain the heart rate when SA node is unable to do so
- B. Stabilize the heart rate when it is above 100 beats per minute
- C. Stabilize the heart when the patient has had a heart attack
- D. Regulate the heart when the patient is going for open heart surgery

**ANSWER: A**

**QUESTION NO: 3**

To remove soft contact lenses from the eyes of an unconscious patient the nurse should:

- A. Uses a small suction cup placed on the lenses
- B. Pinches the lens off the eye then slides it off the cornea
- C. Lifts the lenses with a dry cotton ball that adheres to the lenses
- D. Tenses the lateral canthus while stimulating a blink reflex by the patient

**ANSWER: B**

**QUESTION NO: 4**

Immediately after a craniotomy for head trauma, the nurse must monitor the drainage on the dressing. Which of the following should be reported?

- A. Blood tinged
- B. Straw colored
- C. Clotted
- D. Foul-smelling

**ANSWER: B**

#### QUESTION NO: 5

Which of the following actions is the most appropriate when the nurse is responding to a patient during a tonic-clonic seizure?

- A. Restrain the patient
- B. Protect the patient from harm
- C. Minimize noise and light stimulus
- D. Apply oxygen by mask or nasal cannula

**ANSWER: B**

#### QUESTION NO: 6

Which of the following laboratory blood values is expected to be decreased in hepatic dysfunction?

- A. Albumin
- B. Bilirubin
- C. Ammonia
- D. ALT and AST

**ANSWER: A**

#### QUESTION NO: 7

Which of the following tasks requires specialized education and should be performed by the nurse only after the training has been completed?

- A. Administering a dose of promethazine (Phenergan) via intravenous push (IVP)

- B. Applying a transdermal fentanyl (Duragesic)
- C. Instilling tobramycin (Tobrex) ophthalmic solution
- D. Beginning an intravenous infusion of cyclophosphamide (Cytosan)

**ANSWER: D**

**QUESTION NO: 8**

A patient is to receive 25mg/hr of an aminophylline infusion. The solution prepared by the pharmacy contains 500mg of aminophylline in 1000ml of D5W. How many milligrams are available per ml?

- A. 0.25 mg/ml
- B. 0.5 mg/ml
- C. 1 mg/ml
- D. 2 mg/ml

**ANSWER: B**

**QUESTION NO: 9**

A patient has been taking Aluminum Hydroxide daily for 3 weeks. The nurse should be alert for which of the following side effects?

- A. Constipation
- B. Flatulence
- C. Nausea
- D. Vomiting

**ANSWER: A**

**QUESTION NO: 10**

Extrapyramidal adverse effects and symptoms are most often associated with which of the following drug classes?

- A. Antidepressants
- B. Antipsychotics
- C. Antihypertensives
- D. Antidysrhythmics

**ANSWER: B**