

DUMPS ARENA

IBM InfoSphere Optim for Distributed Systems - V7.3.1

IBM C2090-552

Version Demo

Total Demo Questions: 10

Total Premium Questions: 129

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

Topic Break Down

Topic	No. of Questions
Topic 1, Volume A	63
Topic 2, Volume B	66
Total	129

QUESTION NO: 1

A data-driven relationship exists when a row in the parent table is related to rows in one of several child tables on the basis of the value in a particular column. Which two of the following can you use to define a data-driven relationship? (Choose two.)

- A. String literals or hexadecimal literals
- B. SUBSTR, RAND, or SEQ Functions
- C. Data privacy functions
- D. NULL, CURRENT_DATE, CURRENT_TIME
- E. Numeric Constants and Boolean Constants

ANSWER: A E**QUESTION NO: 2**

The Optim Directory is built as part of the installation on the first workstation. Which two statements are correct about the Optim Directory? (Choose two.)

- A. The Optim Directory can reside on DB2 LUW, Oracle or Microsoft Access.
- B. There may be more than one Optim Directory and they may reside on both Windows and UNIX.
- C. The Optim Directory can reside on DB2 z/OS, Teradata or Microsoft SQL Server.
- D. The definitions can be migrated from one Optim Directory to another with an Export and Import process.
- E. The Optim Directory is always stored on a Windows workstation.

ANSWER: B D**QUESTION NO: 3**

Where can the Optim Directory be stored?

- A. Microsoft Access database running on Windows platforms
- B. SQL Server running on UNIX platform
- C. DB2 UDB for z/OS running on mainframe platform
- D. Oracle running on Windows, UNIX or Linux platforms

ANSWER: D

QUESTION NO: 4

Which two statements are true for a Delete Request? (Choose two.)

- A. The Delete Process will delete Tables, Rows and Indexes.
- B. The Delete Process uses an Extract or Archive File to identify the set of Rows to be removed.
- C. Specifications for the Delete Process are stored as an Archive Request.
- D. It is not necessary to save the delete request before it is run.
- E. Delete requests must be run separately.

ANSWER: B D

QUESTION NO: 5

When performing a Delete Request against an Oracle Database, you notice that Oracle is not using the Oracle Array Delete capability even though this feature has been enabled. Which two of the following might be causing this feature to not be used? (Choose two.)

- A. Compare Row Contents is not selected in the Delete Request Editor.
- B. Compare Row Contents is selected in the Delete Request Editor
- C. The table in the database has a unique primary key, but the table in the file has a non-unique primary key.
- D. The table in the database has a non-unique primary key, but the table in the file has a unique primary key.
- E. The table to be deleted has file attachments.

ANSWER: B E

QUESTION NO: 6

A client wants to Decommission an Oracle 9i application and an IMS application. They need to store the data in a central location. They will be accessing the data from various applications including COGNOS, Business Objects, and a home grown JDBC application. What is necessary to ensure success?

- A. an AIX Server, Windows Desktop, and Optim DRA
- B. a Sun Solaris Server and Multiple Windows Desktops with Rhumba
- C. Optim Data Growth with ODM/Optim Connect
- D. Optim TDM, DP, and Archive with ODM/Optim Connect

ANSWER: C

QUESTION NO: 7

After running a Convert process, how can the data in the converted Extract File be browsed?

- A. with ODM/Optim Connect and an ODBC/JDBC enabled query tool
- B. in a non-relational fashion as the relationships changed as part of the Convert process
- C. with Optim's table Edit or Browse functions since the data is now in a table format
- D. in a relational fashion as the relationships are maintained as part of the Convert process

ANSWER: D

QUESTION NO: 8

Given the following command-line export command: `PROCMND /EXPORT TYPE=EX NAME=%%` Which required parameter is missing from this syntax?

- A. The name of the export file is missing.
- B. The name of the report file is missing.
- C. The name of the Optim Directory is missing.
- D. The name of the parameter file is missing.

ANSWER: A

QUESTION NO: 9

An Archive File Collection is a list of Archive Files that are treated as a single data source by ODM. Which two statements are true regarding Archive Collections? (Choose two.)

- A. Use the Collections tab on the Archive Request Editor to specify the collection(s) in which the Archive File should be added automatically.
- B. An Archive File may belong to multiple Archive Collections, and an Archive Collection may contain multiple Archive Files.
- C. Archive Files contained within a collection do not need to be registered in the Archive Directory.
- D. ODM, by default, processes the Archive Files in the collections in ascending date order based on the dates the Archive Files were created.
- E. An Archive File containing multiple tables with the same names and creator ids, but with different DB Aliases, may be stored in an Archive Collection.

ANSWER: A B

QUESTION NO: 10

What is the purpose of the Archive Registration Utility?

- A.** Create new Archive Entries for Archive Files imported from a different location or for which the entry has been removed.
- B.** Create new Archive Files for Archive Files imported from a different location or for which the file has been removed.
- C.** Create new Archive Directories for Archive Files exported to a different location or for which the entry has been removed.
- D.** Create new Archive Entries for Archive Files exported to a different location or for which the file has been moved.

ANSWER: A