

DUMPS ARENA

HTML5 Application Development Fundamentals

Microsoft 98-375

Version Demo

Total Demo Questions: 10

Total Premium Questions: 146

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

You work as a senior developer at ABC.com. The ABC.com network consists of a single domain named ABC.com.

You are running a training exercise for junior developers. You are currently discussing Scalable Vector Graphics (SVG).

Which of the following is TRUE with regards to SVG? (Choose all that apply.)

- A. It is a powerful way to add high-fidelity, easily scalable visuals to a website via a plug-in or separate viewer.
- B. It is a powerful way to add high-fidelity, easily scalable visuals to a website without the need for a plug-in or separate viewer.
- C. It is a language for describing one-dimensional graphics in XML.
- D. It is a language for describing two-dimensional graphics in XML.

ANSWER: B D**QUESTION NO: 2**

Which HTML5 tag is used to display text with a fixed-width font and preserves both spaces and line breaks?

- A. `<area>`
- B. `<hr>`
- C. `<pre>`
- D. ``

- A. Option A
- B. Option B
- C. Option C
- D. Option D

ANSWER: C**QUESTION NO: 3**

Which attribute prefills a default value for an input element in HTML5?

- A. name
- B. placeholder

- C. autocomplete
- D. required

ANSWER: B

QUESTION NO: 4

What does "V" stand for in the file type SVG?

- A. Video
- B. Vertical
- C. Vector
- D. Variable

ANSWER: C

QUESTION NO: 5

Which CSS3 code segment styles the text color of EM elements to be red and semi-transparent?

- A. `em { color: rgba(100%,0%,0%,50%); }`
- B. `em { color: rgba(255,0,0,0.5); }`
- C. `em { color: #ff00007f; }`
- D. `em { color: rgba(255,0,0,127); }`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

ANSWER: B

QUESTION NO: 6

You work as a senior developer at ABC.com. The ABC.com network consists of a single domain named ABC.com. ABC.com makes use of HTML and CSS3 in their development process.

You have been instructed to alter the text value of an HTML element. You are planning to make use of the innerHTML property. Which of the following is TRUE with regards to the innerHTML property? (Choose all that apply.)

- A. It is valid for both block and inline elements.
- B. It is inaccessible at run time as the document is being parsed.
- C. When the innerHTML property is set, the given string completely replaces the existing content of the object.
- D. When using innerHTML to insert script, you must exclude the defer attribute from the script element.

ANSWER: A C

QUESTION NO: 7

Which two tags are used with the HTML5 TABLE element? (Choose two.)

- A. <body>
- B. <tfoot>
- C. <td>
- D. <head>

- A. Option A
- B. Option B
- C. Option C
- D. Option D

ANSWER: B C

Explanation:

The element defines a table row, the element defines a table header, and the element defines a table cell.

A more complex HTML table may also include , , , , and elements.

QUESTION NO: 8

Which two CSS properties can be used to position multiple HTML elements next to one another? (Choose two.)

- A. display
- B. position
- C. overflow
- D. float

ANSWER: B D

Explanation:

CSS position Property

The position property specifies the type of positioning method used for an element (static, relative, absolute or fixed).

CSS float Property

The float property specifies whether or not a box (an element) should float.

QUESTION NO: 9 - (DRAG DROP)

DRAG DROP

Match the JavaScript code fragments with the HTML5 local storage functions. (To answer, drag the appropriate code fragment from the column on the left to its local storage function on the right. Each code fragment may be used once, more than once, or not at all. Each correct match is worth one point.)

Select and Place:

JavaScript Code Fragment

```
localStorage.key(0);
```

```
localStorage.clear();
```

```
localStorage.getItem("name");
```

```
localStorage.removeItem("name");
```

```
localStorage.setItem("name", nameData);
```

HTML5 Local Storage Function

`localStorage.setItem()` writes data to local storage

`localStorage.removeItem()` removes all data from a local storage object

`localStorage.removeItem()` eliminates a local storage value

`localStorage.getItem()` reads data from local storage

ANSWER:

JavaScript Code Fragment

```
localStorage.key(0);
```

HTML5 Local Storage Function

```
localStorage.setItem("name", nameData);
```

writes data to local storage

```
localStorage.clear();
```

removes all data from a local storage object

```
localStorage.removeItem("name");
```

eliminates a local storage value

```
localStorage.getItem("name");
```

reads data from local storage

Explanation:**QUESTION NO: 10**

You work as a senior developer at ABC.com. The ABC.com network consists of a single domain named ABC.com. ABC.com makes use of HTML5 and CSS3 in their development process.

You are currently creating a page for ABC.com. You want to draw a circle on a canvas as part of the process.

You plan to make use of a JavaScript method to achieve your goal.

Which of the following actions should you take?

- A.** You should consider making use of the createPattern method.
- B.** You should consider making use of the rotate method.
- C.** You should consider making use of the scale method.
- D.** You should consider making use of the arc method.

ANSWER: D