

DUMPS ARENA

Brocade Certified vRouter Engineer

Brocade 170-010

Version Demo

Total Demo Questions: 10

Total Premium Questions: 85

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which three statements about the configuration file are true? (Choose three.)

- A. The file is organized hierarchically.
- B. The file is named config.boot.
- C. The system only supports one active configuration file.
- D. You cannot delete the file.
- E. The file is encrypted.

ANSWER: A B C**QUESTION NO: 2**

```
vyatta@vyatta:~$ show dhcp server leases
```

```
IP address Hardware Address Lease expiration Pool Client Name
```

```
-----  
10.224.7.40 00:04:f2:02:84:49 2013/06/22 17:46:20 ClientLAN
```

```
10.224.7.41 d4:be:d9:1b:ed:9e 2013/06/22 20:27:26 ClientLAN PC-HR-34
```

```
vyatta@vyatta:~$ show interfaces
```

```
Codes: S - State, L - Link, u - Up, D - Down, A - Admin Down
```

```
Interface IP Address S/L Description
```

```
-----  
eth0 192.168.200.254/24 u/u
```

```
eth1 192.168.100.1/24 u/u
```

```
eth2 10.224.7.1/25 u/u
```

```
eth3 172.24.42.1/24 u/u
```

```
lo 127.0.0.1/8 u/u
```

```
:::1/128
```

Based on the output shown, which statement is true?

- A. DHCP is configured on eth2.

- B. PC-HR-34 is the first device connected to eth2.
- C. The pool named ClientLAN has 11 total addresses.
- D. The lease interval is 24 hours.

ANSWER: A

QUESTION NO: 3

Which two steps are required to enable logging of NAT traffic? (Choose two.)

- A. Enable logging of the NAT rule.
- B. Enable logging of the NAT rulebase.
- C. Ensure there is sufficient disk space for potential logged information.
- D. Enable debug-level logging on the device.

ANSWER: A C

QUESTION NO: 4

When verifying a new Brocade Vyatta vRouter installation on a hypervisor, which action must be taken with the configuration file?

- A. You must verify that the install process found all of the device interfaces.
- B. You must verify the hardware addresses of the device interfaces.
- C. You must confirm the root login and password.
- D. You must confirm the administrator login and password.

ANSWER: B

QUESTION NO: 5

```
vyatta@vyatta:~$ show dhcp server leases
```

```
IP address Hardware Address Lease expiration Pool Client Name
```

```
-----  
10.224.7.40 00:04:f2:02:84:49 2013/06/22 17:46:20 ClientLAN
```

```
10.224.7.41 d4:be:d9:1b:ed:9e 2013/06/22 20:27:26 ClientLAN PC-HR-34
```

```
vyatta@vyatta:~$ show dhcp server statistics
```

```
pool pool size # leased # avail
```

```
-----
```

```
ClientLAN 11 2 9
```

```
vyatta@vyatta:~$
```

Based on the output shown, which statement is true?

- A. The address lease interval is 24 hours.
- B. 10.224.7.40 is the first address in the pool named Windows.
- C. The pool named ClientLAN has 11 total addresses.
- D. PC-HR-34 is connected directly to the vRouter.

ANSWER: C

QUESTION NO: 6

Which three configuration parameters are auto-detected on a vRouter Ethernet port? (Choose three.)

- A. speed
- B. mac
- C. hw-id
- D. mtu
- E. duplex

ANSWER: A C E

QUESTION NO: 7

Which three commands should be used to modify a firewall rulebase? (Choose three.)

- A. edit
- B. set
- C. rename
- D. delete
- E. modify

ANSWER: B C D

QUESTION NO: 8

You've configured a destination port in your firewall rule.

Which two additional elements are required in the rule? (Choose two.)

- A. source port
- B. action
- C. protocol
- D. destination address

ANSWER: B C

QUESTION NO: 9

Which command line will display configured static routes only?

- A. show ip route static
- B. show route static
- C. show static route
- D. show ip route filter static

ANSWER: A

QUESTION NO: 10

What is the purpose of the TCP three-way handshake?

- A. to establish a reliable connection between two network peers
- B. to exchange information about transmission windows
- C. to determine the Layer 4 ports used for the connection
- D. to set the priority for handing the data exchange

ANSWER: A