

DUMPS ARENA

CA AppLogic r3 Administrator Exam

CA Technologies CAT-280

Version Demo

Total Demo Questions: 10

Total Premium Questions: 50

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

During the Backbone Fabric Controller (BFC) installation process, you will be asked for several account keys, which the CA AppLogic support team provides you with at the time of purchase. Which CA AppLogic key is installed on the download.3tera.net host and is kept as an archive in case CA Support requests it?

- A. Account Key
- B. Snapshot Key
- C. Download Public Key
- D. Download Private Key

ANSWER: C**QUESTION NO: 2**

You need to develop and test several versions of your application in CA AppLogic. To maintain a version history of your application, which strategies are recommended?

(Choose three)

- A. Configure versioning on the grid controller.
- B. Integrate CA AppLogic with CA Cloud Orchestrate.
- C. Export the copy to a named archive that can incorporate a version.
- D. Migrate the application to another grid and incorporate the version in its name.
- E. Copy your application, making a snapshot of its current state, and incorporate the version in the named copy.

ANSWER: C D E**QUESTION NO: 3**

When the CA AppLogic grid controller becomes non-responsive, which step do you perform?

- A. Reboot the server.
- B. Restart the grid controller.
- C. Re-install the grid controller.

D. Remove and remount the server.

ANSWER: B

QUESTION NO: 4

Once your grid is up and running, you want to run some commands to check the grid's status. Which commands can you use? (Choose five)

- A. srv list
- B. app list
- C. msg list
- D. grid info
- E. vol check
- F. aldo check
- G. grid inspect

ANSWER: A B C D E

QUESTION NO: 5

When you configure authentication for the Backbone Fabric Controller (BFC):

- A. Make sure that all users access the BFC using the BFC shell only.
- B. Make sure that the bfcaadmin user has read-only access to the database replica directory.
- C. Do not change the default 'root' password, because this is required for a correct configuration.
- D. Add any necessary public SSH keys for users that will access the BFC to the '/root/.ssh/authorized_keys' file.

ANSWER: D

QUESTION NO: 6

Which guidelines will help you to maximize security for the CA AppLogic platform? (Choose three)

- A. Secure private keys with a passphrase.
- B. Ensure that only CA AppLogic users have direct access to commodity enterprise servers.
- C. When using a global directory service, do not provide access to the implicit local group 'all'.
- D. When using a global directory service, check the strength of the passwords used in the service.
- E. Use password authentication only for Secure Shell (SSH) access to the Backbone Fabric Controller (BFC) server.

ANSWER: A C D

QUESTION NO: 7

What happens when a user initiates an application start? (Choose two)

- A. ctld, the controller daemon, controls the start process.
- B. The application is added to the grid by the grid controller.
- C. The start procedure follows the pattern you specify in the Q-obj file.
- D. Application scheduling determines which components in an application will be started on which servers.

ANSWER: A D

QUESTION NO: 8

What are the three major subsystems of the CA AppLogic runtime system?

- A. Application Setup, Application Volumes, Disposable Infrastructure
- B. Distributed Kernel, Disposable Infrastructure Manager, Grid Controller
- C. Resource Metering System, Catalog Delivery System, Grid Management System
- D. Global Volume Store (GVS), Distributed Virtual Machine Manager (DVM), Logical Connection Manager (LCM)

ANSWER: B

QUESTION NO: 9

In CA AppLogic, which component is used to implement a distributed storage subsystem that combines the advantages of a global file system with an object store?

- A. Global Disk Array (GDA)
- B. Global Storage Pool (GSP)
- C. Global Access Cache (GAC)
- D. Global Volume Store (GVS)

ANSWER: A D**QUESTION NO: 10**

Which statement about role-based access control (RBAC) in CA AppLogic versions before r3.0 is TRUE?

- A. There is no RBAC functionality.
- B. The RBAC model is identical to the latest model.
- C. Objects have access control lists (ACLs) but they are not compatible with the latest version of CA AppLogic.
- D. Unlike the latest version, the local admin group does not have an explicit list of members, but rather implicitly includes all users as members.

ANSWER: A