

# DUMPS ARENA

## Cisco Service Provider Routing Field Engineer Exam

Cisco 500-230

Version Demo

Total Demo Questions: 5

Total Premium Questions: 30

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

What is the default MP-BGP address-family on IOS-XR?

- A. IPv6 unicast
- B. There is no default address-family
- C. IPv4 unicast
- D. VPNv4

**ANSWER: D**

**QUESTION NO: 2**

Which command removes a user from configuration mode but keeps the user connected to the router?

- A. clear line
- B. clear session
- C. clear commit
- D. clear config session

**ANSWER: D**

**QUESTION NO: 3**

What is the TRACE command?

- A. A packet tracer showing the path of a packet from ingress to egress in the router.
- B. The replacement for TraceRoute in IOS-XR.
- C. A form of always-on debugging available for a subset of commands.
- D. Exactly the same as the debug command, must be explicitly turned on.

**ANSWER: C**

**QUESTION NO: 4**

One of your peers show in the SHOW BGP VPNV4 UNICAST SUMMARY output

What is the cause of this?

- A.** The label value ranges are mismatched.
- B.** The peer has no prefixes with a Route-Target that the local router is importing.
- C.** The BGP prefixes between the routers have not fully converged and will correct itself in time.
- D.** The peer router is not configured to use the VPNv4 address-family for this connection.

**ANSWER: B**

#### **QUESTION NO: 5**

Which command is run to make changes permanent and survive a reload after executing the command "copy disk0:config-file.txt running-config"?

- A.** Commit Confirm
- B.** Commit Copy
- C.** Command not require, changes are committed automatically
- D.** Commit

**ANSWER: D**