

DUMPS ARENA

Avaya Pod Fx Integration Exam

Avaya 7593X

Version Demo

Total Demo Questions: 10

Total Premium Questions: 68

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which two are responsible for updating the Customer and Network Lifecycle Workbook? (Choose two.)

- A. Avaya Backbone Team
- B. Project Managers
- C. Customers Administrator
- D. Implementation Engineers

ANSWER: C D

QUESTION NO: 2

Which two statements regarding adding a new Pod dashboard to Visualization Performance and Fault Management (VPFM) are true? (Choose two.)

- A. The position of elements in Pod dashboards can be customized.
- B. Pod dashboard display dial gauge graphical elements only.
- C. Pod dashboards are built using dashlets.
- D. Pod dashboards are available in fixed, pre-configured templates.

ANSWER: A C

QUESTION NO: 3

Which task is optional when preparing a site for a Pod Fx installation?

- A. Plan the path from the delivery location to the permanent site.
- B. Identify potential obstacles, such as signs and fire extinguishers in the path from the delivery location to the Pod's permanent site.
- C. Ensure that a minimum of four people are available to move the Pod due to its size and weight.
- D. Ensure there is room to maneuver the Avaya Pod Fx around any tight corners in hallways.

ANSWER: B

QUESTION NO: 4

Which task is performed by the Pod Fx Implementation team?

- A. Install POS applications.
- B. Configure the Pod Visualization Manager (PVM) profile.
- C. Install vCenter
- D. Power on the POS applications.

ANSWER: A

QUESTION NO: 5

What is the purpose of VMware vMotion as used in Avaya Pod Fx?

- A. It creates a pool of virtual disk space that can be shared by multiple virtual machines.
- B. It provides monitoring of operating system and hardware failures, and also restarts virtual machines on other hosts within the resource pool.
- C. It dynamically allocates and balances computing capacity across the logical resource pools.
- D. It enables an operational virtual machine to migrate from one ESXi host to another, which includes its running state and storage.

ANSWER: D


QUESTION NO: 6

Which protocol does IP Flow Manager (IPFM) use to collect traffic flow information from the network?

- A. NETFLOW
- B. FTP
- C. IPFIX
- D. HASHFLOW

ANSWER: C

QUESTION NO: 7



Refer to the exhibit.

In the Discovery Preferences for COM, if it is enabled, what is the function of the Restrict Discovery option?

- A. It limits the network discovery to older ERS devices only.
- B. It limits the network discovery to new VSP switches only.
- C. It limits the network discovery to run on specific time ranges only.
- D. It limits the network discovery to particular subnets only.

ANSWER: C

QUESTION NO: 8

Which two statements regarding Traps and Secure Access Link (SAL) Integration in Pod Fx 3.0 are true? (Choose two.)

- A. Pod components are pre-configured to send SNMP Traps to the SAL Gateway.
- B. SNMP Traps to the SAL Gateway are monitored by Avaya and customers are notified.
- C. The SAL Gateway contains the pre-defined list of Traps.

D. Visualization Performance and Fault Management (VPFM) is pre-configured to send SNMP Traps to the SAL Gateway.

ANSWER: C D

QUESTION NO: 9

An administrator logs into System Manager, and finds that the VPFM link does not appear in the Elements column.

Which two statements describe a potential cause of this problem? (Choose two.)

- A. The administrator will find that the VPFM link is located in the Services column.
- B. The administrator has insufficient privileges to use VPFM link.
- C. The VPFM link was accidentally removed.
- D. The VPFM link is on the 2nd page of the Elements column.

ANSWER: A C

QUESTION NO: 10

Assuming a new device resides in a subnet that has not been discovered, which three actions will ensure that Visualization Performance and Fault Management (VPFM) successfully discovers the newly added component to the Pod? (Choose three.)

- A. Seed router or subnet information of the Pod needs to be added to VPFM.
- B. SNMP credentials of the new components need to be added to the Device and Server Credential Editor.
- C. A test Trap should be generated from the newly added component.
- D. Rediscovery needs to be run in VPFM.
- E. The Pod Visualization Manager (PVM) Profile must include the newly added component.

ANSWER: A B C