

DUMPS ARENA

Avaya Pod Fx Solution Support Exam

Avaya 7693X

Version Demo

Total Demo Questions: 10

Total Premium Questions: 58

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Of the Pod Orchestration Suite (POS) products, which utility/tool is used to configure and manage the Layer 2 and Layer 3 network?

- A. IPFM
- B. VPFM
- C. COM
- D. vCenter

ANSWER: D**QUESTION NO: 2**

Before downloading and applying a PDU patch, you must determine the type of PDU the Pod Fx is using.

Which two kinds of PDUs are valid? (Choose two.)

- A. Static
- B. Stationary
- C. Switched
- D. Smart
- E. Synchronized

ANSWER: B C**QUESTION NO: 3**

Which statement about the LifeCycle Manage Workbook (LCM) and any time there is a change made to the Pod Fx implementation is true?

- A. Update the workbook with all changes and submit via email to cpoddata@avaya.com.
- B. The LCM is only needed when receiving the Pod Fx.
- C. Retrieve the LCM from cpoddata@avaya.com prior to making any changes.
- D. LCM only needs to be updated when hardware devices are changed.

ANSWER: A

QUESTION NO: 4

Which three are functions of COM? (Choose three.)

- A. Network Device Discovery
- B. Off Box EDM Management Platform
- C. Graphical Representation of Pod
- D. Bulk Configuration Management
- E. Topology based Configuration and Provisioning

ANSWER: B D E

Explanation:

Reference <https://www.avaya.com/en/documents/>

[avaya_configuration_and_orchestration_manager_plus_dn5249.pdf](#)

QUESTION NO: 5

A customer requires additional Avaya Aura® applications to be added to the Pod. This has been reviewed and approved by Avaya's Pod Fx Product Management team. It has been determined that a new computer server is required to meet the expanded resource requirement.

Which two parts of the Lifecycle Workbook need to be updated to provide for the new requirements? (Choose two.)

- A. CPOD Solution RMU Elevation
- B. QA Checklist
- C. Network Data
- D. Serial Numbers

ANSWER: B C

QUESTION NO: 6

Management							Mask
VMware vCenter Server	cpd-vcserver	185.122.114.83	2010	vsphere	training	CPod2013	255.255.255.192
Management Server Console	cpd-msc	185.122.114.84	2010		Administrator	Avaya123	255.255.255.192
Avaya COM/VPS	cpd-com	185.122.114.85	2010		root	Avaya_123	255.255.255.192
Avaya VPM	cpd-vpfm	185.122.114.86	2010		root	Avaya_123	255.255.255.192
Avaya IPFM	cpd-ipfm	185.122.114.87	2010		root	Avaya_123	255.255.255.192
Avaya PVM	cpd-pvm	185.122.114.88	2010		root	Avaya_123	255.255.255.192
Avaya ADS	cpd-ads	185.122.114.89	2010	https	admin	CPod2013	255.255.255.192
Avaya SBA 1 Private	cpd-sba1-prty	185.122.114.90	2010		admin	CPod2013	255.255.255.192
Avaya SBA 2 Private	cpd-sba2-prty	185.122.114.91	2010		admin	CPod2013	255.255.255.192
Avaya SBA MIP	cpd-sba-mip	185.122.114.92	2010		admin	CPod2013	255.255.255.192
Avaya SBA IP Pool	185.122.114.93	185.122.114.98	2010				255.255.255.192
Tenant1							Mask
Avaya SMGR	cpd-smgr	185.122.105.68	2011		admin	CPod2013	255.255.255.224
Avaya SM1	cpd-sm1	185.122.105.69	2011	ssh	cust	custpr	255.255.255.224
Avaya SM1-100	cpd-sm1-100	185.122.105.70	2011				255.255.255.224
Avaya SM2	cpd-sm2	185.122.105.71	2011	ssh	cust	custpr	255.255.255.224
Avaya SM2-100	cpd-sm2-100	185.122.105.72	2011				255.255.255.224
Avaya CM1	cpd-cm1	185.122.105.73	2011	su/vtpp	craft	craft	255.255.255.224
Avaya CM2	cpd-cm2	185.122.105.74	2011	su/vtpp	craft	craft	255.255.255.224
Avaya CM Alias	cpd-cma	185.122.105.75	2011	su/vtpp	craft	craft	255.255.255.224
Avaya SBC-IMS	cpd-ems	185.122.114.100	2010	185.122.105.30	2011		255.255.255.192

Refer to the exhibit.

Using the example LifeCycle Management Workbook in the exhibit, which username is used to access the SM2 server?

- A. Cust
- B. Admin
- C. Administrator
- D. Training

ANSWER: A

QUESTION NO: 7

On the PVM dashboard, you see “___” for CPU/Temperature/Memory for some IP addresses.

What are two possible causes of this problem? (Choose two.)

- A. the SNMP credentials
- B. incorrect IP Address
- C. SSH username or password combination
- D. an unplugged cable

ANSWER: A B

QUESTION NO: 8

In the 8D Methodology, which discipline involves preventing the issue from reoccurring?

- A. D6
- B. D4
- C. D5
- D. D7

ANSWER: D**Explanation:**

Reference <http://quality-one.com/8d/>

QUESTION NO: 9

Which benefit does the available G450 Gateway provide to the Pod Fx solution?

- A. SIP to SIP negotiation
- B. SIP to POTS transition
- C. SIP to IP transition
- D. SIP to H.323 translation

ANSWER: D**QUESTION NO: 10**

Which two items must be defined during D1 and D2 of the 8D Methodology? (Choose two.)

- A. Define the problem.
- B. Choose corrective actions.
- C. Maintain containment.
- D. Form team.

ANSWER: A D