

DUMPS ARENA

SAP Certified Application Associate - SAP BusinessObjects Web Intelligence 4.2

SAP C BOWI 42

Version Demo

Total Demo Questions: 10

Total Premium Questions: 175

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which statement is true of an output context operator?

Please choose the correct answer. Response:

- A. It is placed within the brackets of the dimension list.
- B. It is placed outside of the brackets of the dimension list.
- C. It is placed within the brackets of the aggregation function.
- D. It is placed outside of the brackets of the aggregation function.

ANSWER: D**QUESTION NO: 2**

Identify from the correct option from the following - To Navigate from Section to Section?

Please choose the correct answer.

Response:

- A. The Report Element pane to work on one report to another and navigate from Multiple section
- B. The Report Map pane to jump from one cell to another and navigate one and two sections
- C. The Report Map pane to jump from one report to another and navigate from section to section
- D. The Report Element to jump from one section to another and navigate from column to row

ANSWER: C**QUESTION NO: 3**

What is the default behavior when creating a report from two queries from the same universe?

Please choose the correct answer. Response:

- A. Result produces two table blocks.
- B. Dimension objects are automatically merged.

- C. Results are shown on two different report tabs.
- D. Dimension objects are not automatically merged.

ANSWER: B

QUESTION NO: 4

What can you use breaks for?

Please choose the correct answer. Response:

- A. To create a section
- B. To create multiple table blocks
- C. To remove repeated values in one table block
- D. To manipulate the navigation path

ANSWER: C

QUESTION NO: 5

Which two search criteria are valid when using Delegated List of Values?

There are 2 correct answers to this question. Response:

- A. a*
- B. *a
- C. a%
- D. %a

ANSWER: A B

QUESTION NO: 6

How will you define and make the required changes with the appropriate tab for the format options?

There are 3 correct answers to this question Response:

- A. General: to define the report name, page layout, scaling, margins and content
- B. Appearance: to define the report color, pattern, and hyperlink color
- C. Function tab: to demonstrate the report, outline
- D. Configuration: to define the alignment of the report

ANSWER: A B

QUESTION NO: 7

Which two statements are true about using the Where operator with an output context?

There are 2 correct answers to this question. Response:

- A. It must contain Boolean operators.
- B. It restricts the data used to calculate the measure expression.
- C. It modifies the WHERE clause of the SQL generated to calculate the measure expression.
- D. It is not necessary to place parentheses around the values listed after the Where operator.

ANSWER: A B

QUESTION NO: 8

You use the Last Refresh Date cell from the Templates in the Report Manager on your report page. You then reformat the cell as Tuesday, January 22, 2014. What is the result when you edit the formula, using the

Formula toolbar, to concatenate the string "Last Refresh Date: " and the LastExecutiondate() function? Please choose the correct answer.

Response:

- A. The cell reads "Last Refresh Date: 1/22/14".
- B. The "Computation Error" error message is displayed.
- C. The "Incompatible Data Types" error message is displayed.
- D. The cell reads "Last Refresh Date: {Tuesday, January 22, 2014}".

ANSWER: A

QUESTION NO: 9

Discuss all the advantages link to organizing a report in the section

There are 2 correct answers to this question Response:

- A.** You can have multiple blocks projected from the same microcube within a single report, all sub-grouped to the sectioned level
- B.** You can have single block projected from the same microcube within a single report, all grouped to the sectioned level
- C.** You can insert subtotal cells, repeated in each section, which are created by the simple process of drag and drop
- D.** You can insert tables, different in each section, which are created by the simple process of drag and drop

ANSWER: A C**QUESTION NO: 10**

For which tasks do you use an If() function?

There are 2 correct answers to this question. Response:

- A.** To conditionally show rows in a block
- B.** To conditionally execute a scheduled report
- C.** To display dynamically grouped values
- D.** To display a dynamic list of values

ANSWER: A C