

DUMPS ARENA

CA Identity Manager r12.x Professional

CA Technologies CAT-340

Version Demo

Total Demo Questions: 10

Total Premium Questions: 50

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

You are using CA SiteMinder and CA IdentityMinder in an integrated environment. To configure directory mapping in the CA SiteMinder Policy Server, which steps do you need to perform? (Choose three)

- A. Create a Table element for each attribute.
- B. Add a response attribute named sm_userdn for the SMJJSERNAME attribute.
- C. Add the authentication directory to the CA IdentityMinder environment domain.
- D. Use the Reference element for a secondary table to define its relationship to the primary table.
- E. In the CA IdentityMinder environment realm, map the authorization directory to the authentication directory.

ANSWER: B C E**QUESTION NO: 2**

You are configuring a primary approver for a task using the process template method. Which types of Participant Resolver can you assign? (Choose two)

- A. Null Resolver
- B. Default Resolver
- C. Dynamic Resolver
- D. Role Manager Resolver

ANSWER: A C**QUESTION NO: 3**

When you export CA IdentityMinder environment settings, you generate a ZIP file containing which files? (Choose three)

- A. alias_environment.xml
- B. alias_environment_roles.xml
- C. alias_environment_users.xml
- D. alias_environment_settings.xml
- E. alias_environment_mappings.xml

ANSWER: A B D

QUESTION NO: 4

In CA IdentityMinder, which self-service actions can you perform using public tasks? (Choose two)

- A. Self-registration
- B. Modifying your profile
- C. Changing your password
- D. Resetting a forgotten password

ANSWER: A D**QUESTION NO: 5**

Which event context information object method returns the name of the person who submitted the task that generated an event?

- A. getOrgName()
- B. getEventName()
- C. getAdminName()
- D. getPrimaryObjectName()

ANSWER: C**QUESTION NO: 6**

Security Administrator, Zhi Wang, creates the CA Identity Minder roles required to implement delegated administration. Two weeks later, one of these new roles requires some changes. These changes should be performed by the:

- A. Role Owner
- B. Role Manager
- C. Role Administrator
- D. Access Role Membership Approver

ANSWER: A**QUESTION NO: 7**

Which ETAUTIL error appears when the authentication to the Provisioning Server fails?

- A. Object 'XXXX' operation failed

- B. Class 'classname' is not a valid class name
- C. End of file reached while expecting an operator
- D. Unknown error nnn opening Common Object Repository

ANSWER: D

QUESTION NO: 8

You are setting up the Bulk Load Client to perform a complete dump of all HR users into CA IdentityMinder. You want to avoid a problem you encountered previously when a large number of records processed overloaded the server. Which command-line option addresses this issue?

- A. imbulkloadclient -T, —transformOnly
- B. imbulkloadclient -b, —batchSize
- C. imbulkloadclient -i, —inputFile
- D. imbulkloadclient -e, —endpointInfoFile

ANSWER: B

QUESTION NO: 9

Which tasks does Config Xpress enable you to perform? (Choose three)

- A. Map dynamic connectors to endpoints.
- B. Move components between environments.
- C. Publish a report of the system components to a PDF file.
- D. Publish the XML configuration for a particular component.
- E. Create complex business logic without the need to develop custom code.

ANSWER: B C D

QUESTION NO: 10

Which task do you perform using the CA IdentityMinder Management Console?

- A. Manage the Provisioning Server.
- B. Customize default roles and tasks.
- C. Create and manage the Provisioning Directory.

D. Create an agent that CA SiteMinder can communicate with.

ANSWER: C