

DUMPS ARENA

Axis Network Video Exam

Axis Communications ANVE

Version Demo

Total Demo Questions: 10

Total Premium Questions: 138

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

A camera lens with a low f-stop value of 1.2 will outperform a lens with a higher f-stop value due to which one of the parameters below?

- A. Better depth of field
- B. Better low light capability
- C. Improved sharpness
- D. Less image artifacts

ANSWER: B

QUESTION NO: 2

Axis recommends shielded cables for outdoor installations primarily to ensure

- A. Image quality.
- B. Surge protection.
- C. Life time of cable installations.
- D. Conformity with SMPTE standard.

ANSWER: B

QUESTION NO: 3

Which of the following statements about multicast video streaming are true? (Choose three)

- A. Multicast can help to save bandwidth in a network
- B. Multicast can typically not be used to provide video over internet
- C. Multicast uses TCP as transport protocol
- D. Multicast extends the viewer capacity of a camera or an encoder from 10-20 to an unlimited number
- E. RTSP streams are always sent through multicast

ANSWER: A B D

QUESTION NO: 4

What are the effects of changing the capture mode on an AXIS P1346 from 2048x1536 (3 MP) to 1920x1080 (HDTV)?
(Choose two)

- A. Minimum illumination decreases
- B. Vertical angle of view decreases
- C. Maximum frame rate decreases
- D. Maximum frame rate increases
- E. Motion blur increases

ANSWER: B D

QUESTION NO: 5

Which of the following allows customer to access between 2-4 channels of live and online stored video at any time?

- A. AXIS Camera Station
- B. AXIS Video Hosting System(AVHS)
- C. AXIS Camera Management
- D. AXIS Media Control

ANSWER: B

QUESTION NO: 6

What is the maximum distance for a 100BaseTX Ethernet carrying 802.3at PoE connection between a switch and a camera without any extenders or repeaters?

- A. 50 m (164 ft)
- B. 100 m (328 ft)
- C. 150 m (492 ft)

D. 500 m (1640 ft)

ANSWER: B

QUESTION NO: 7

This image represents an enlargement of an actual surveillance image. How could you improve the overall quality of the image? (Choose two)



- A. Decrease image compression setting
- B. Increase the gain setting in the camera
- C. Increase the image compression setting
- D. Decrease the gain setting in the camera
- E. Change to a camera with higher resolution

ANSWER: A E

QUESTION NO: 8

Which of the following statements is a recommended best practice for outdoor installations of Axis cameras?

- A. Connect cameras and end points (midspan, endspan, network switch or hub) with Category 5e UTP cable
- B. Ensure that a surge suppressor is installed in front of each camera
- C. Ensure that the end points are properly grounded

D. Connect a UPS to the network switch

ANSWER: C

QUESTION NO: 9

A Privacy mask added to Live View (Choose two)

- A. Hides parts of the scene.
- B. Restricts access to the camera.
- C. Can be removed from recorded video.
- D. Lowers the bandwidth usage.
- E. Can be made into any shape.

ANSWER: A D

QUESTION NO: 10

In which cases would a people counting analytic be used with an Axis camera (Choose three)?

- A. Fire protection in subways
- B. Statistics for retail stores
- C. Early warning system for flooding
- D. Enhanced service levels for public transportation
- E. Crowd detection for marketing purpose

ANSWER: B D E