

DUMPS ARENA

Fortinet NSE 4 - FortiOS 6.0

Fortinet NSE4 FGT-6.0

Version Demo

Total Demo Questions: 10

Total Premium Questions: 126

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which of the following conditions are required for establishing an IPSec VPN between two FortiGate devices? (Choose two.)

- A. If XAuth is enabled as a server in one peer, it must be enabled as a client in the other peer.
- B. If the VPN is configured as route-based, there must be at least one firewall policy with the action set to IPSec.
- C. If the VPN is configured as DialUp User in one peer, it must be configured as either Static IP Address or Dynamic DNS in the other peer.
- D. If the VPN is configured as a policy-based in one peer, it must also be configured as policy-based in the other peer.


ANSWER: B C**QUESTION NO: 2**

An administrator observes that the port1 interface cannot be configured with an IP address. What can be the reasons for that? (Choose three.)

- A. The interface has been configured for one-arm sniffer.
- B. The interface is a member of a virtual wire pair.
- C. The operation mode is transparent.
- D. The interface is a member of a zone.
- E. Captive portal is enabled in the interface.

ANSWER: A B C**QUESTION NO: 3**

View the exhibit.



```
192.168.2.1 - PuTTY
login as: admin
Local-FortiGate #
Local-FortiGate # config vdom
Local-FortiGate (vdom) # edit root
current vf=root:0
Local-FortiGate (root) # config system global
command parse error before 'global'
Command fail. Return code 1
Local-FortiGate (root) #
```

Why is the administrator getting the error shown in the exhibit?

- A. The administrator must first enter the command edit global.
- B. The administrator admin does not have the privileges required to configure global settings.
- C. The global settings cannot be configured from the root VDOM context.
- D. The command config system global does not exist in FortiGate.

ANSWER: C

QUESTION NO: 4

View the exhibit.

Destination	Subnet	Named Address	Internet Service
172.13.24.0/255.255.255.0			
Interface	TunnelB		
Administrative Distance	5		
Comments			
Status	Enabled Disabled		
Advanced Options			
Priority	30		

Destination	Subnet	Named Address	Internet Service
172.13.24.0/255.255.255.0			
Interface	TunnelA		
Administrative Distance	10		
Comments			
Status	Enabled Disabled		
Advanced Options			
Priority	0		

Which of the following statements are correct? (Choose two.)

- A. This setup requires at least two firewall policies with the action set to IPsec.
- B. Dead peer detection must be disabled to support this type of IPsec setup.
- C. The TunnelB route is the primary route for reaching the remote site. The TunnelA route is used only if the TunnelB VPN is down.
- D. This is a redundant IPsec setup.

ANSWER: C D

QUESTION NO: 5

Which of the following route attributes must be equal for static routes to be eligible for equal cost multipath (ECMP) routing? (Choose two.)

- A. Priority
- B. Metric
- C. Distance
- D. Cost

ANSWER: A C

QUESTION NO: 6

Examine the network diagram and the existing FGTI routing table shown in the exhibit, and then answer the following question:

```

FGT1 # get router info routing-table all
Codes: K - kernel, C - connected, S - static, R - RIP, B - BGP
O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, L1 - IS-IS level-1, L2 - IS-IS level-2, ia - IS-IS inter area
* - candidate default:
S    172.20.0.0/16 [10/0] via 172.21.1.2, port2
C    172.21.0.0/16 is directly connected, port2
C    172.11.11.0/24 is directly connected, port1
    
```

An administrator has added the following static route on FGTI.

New Static Route

Destination: **Subnet** | Named Address | Internet Service

172.20.1.0/24

Gateway: 172.11.12.1

Interface: port1

Administrative Distance: 10

Comments: 0/255

Status: **Enabled** | Disabled

Advanced Options

Priority: 0

Since the change, the new static route is not showing up in the routing table. Given the information provided, which of the following describes the cause of this problem?

- A. The new route's destination subnet overlaps an existing route.
- B. The new route's Distance value should be higher than 10.

- C. The Gateway IP address is not in the same subnet as port1.
- D. The Priority is 0, which means that this route will remain inactive.

ANSWER: C

QUESTION NO: 7

Which statements are true regarding firewall policy NAT using the outgoing interface IP address with fixed port disabled?
(Choose two.)

- A. This is known as many-to-one NAT.
- B. Source IP is translated to the outgoing interface IP.
- C. Connections are tracked using source port and source MAC address.
- D. Port address translation is not used.

ANSWER: A B

QUESTION NO: 8

An administrator is configuring an antivirus profiles on FortiGate and notices that Proxy Options is not listed under Security Profiles on the GUI. What can cause this issue?

- A. FortiGate needs to be switched to NGFW mode.
- B. Proxy options section is hidden by default and needs to be enabled from the Feature Visibility menu.
- C. Proxy options are no longer available starting in FortiOS 5.6.
- D. FortiGate is in flow-based inspection mode.

ANSWER: D

QUESTION NO: 9

A FortiGate device has multiple VDOMs. Which statement about an administrator account configured with the default prof_admin profile is true?

- A. It can create administrator accounts with access to the same VDOM.

- B. It cannot have access to more than one VDOM.
- C. It can reset the password for the admin account.
- D. It can upgrade the firmware on the FortiGate device.

ANSWER: A

QUESTION NO: 10

Which action can be applied to each filter in the application control profile?

- A. Block, monitor, warning, and quarantine
- B. Allow, monitor, block and learn
- C. Allow, block, authenticate, and warning
- D. Allow, monitor, block, and quarantine

ANSWER: D