

# DUMPS ARENA

## IBM Cúram SPM V7.X Application Developer

IBM C1000-004

Version Demo

Total Demo Questions: 10

Total Premium Questions: 70

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

Which two class types can be modeled in IBM Cúram SPM? (Choose two.)

- A. default
- B. rest
- C. batch
- D. façade
- E. inboundprocess

**ANSWER: D E****Explanation:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerModelling/ctr\\_CuramServerModellingGuide.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerModelling/ctr_CuramServerModellingGuide.html)

**QUESTION NO: 2**

Which two statements about the UIM generator are true? (Choose two.)

- A. It is an editor for designing the layout of UIM pages.
- B. It uses the ServerAccessBeans.xml file to create SERVER\_INTERFACE elements.
- C. It can be used to set the phase of a SERVER\_INTERFACE.
- D. It is run as part of build client.
- E. It uses the build beandoc command to create SERVER\_INTERFACE elements.

**ANSWER: B D****Explanation:**

Reference: [https://www.google.com/url?](https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=2ahUKEwjazZDrkobnAhWsyYUKHTo3DBsQFjABegQIAhAB&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.1%2Fen%2Fhtml%2FDevelopers%2FCuramWebClientReferenceManual%2Ffr_WEBCREf_Development1UimGeneratorTool1.html&usq=AOvVaw30A9F9skqTHfWfyBqhYA wh)

[sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=2ahUKEwjazZDrkobnAhWsyYUKHTo3DBsQFjA](https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=2ahUKEwjazZDrkobnAhWsyYUKHTo3DBsQFjABegQIAhAB&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.1%2Fen%2Fhtml%2FDevelopers%2FCuramWebClientReferenceManual%2Ffr_WEBCREf_Development1UimGeneratorTool1.html&usq=AOvVaw30A9F9skqTHfWfyBqhYA wh)

[BegQIAhAB&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%](https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=2ahUKEwjazZDrkobnAhWsyYUKHTo3DBsQFjABegQIAhAB&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.1%2Fen%2Fhtml%2FDevelopers%2FCuramWebClientReferenceManual%2Ffr_WEBCREf_Development1UimGeneratorTool1.html&usq=AOvVaw30A9F9skqTHfWfyBqhYA wh)

[2F6.0.5.1%2Fen%2Fhtml%2FDevelopers%2FCuramWebClientReferenceManual%](https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=2ahUKEwjazZDrkobnAhWsyYUKHTo3DBsQFjABegQIAhAB&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.1%2Fen%2Fhtml%2FDevelopers%2FCuramWebClientReferenceManual%2Ffr_WEBCREf_Development1UimGeneratorTool1.html&usq=AOvVaw30A9F9skqTHfWfyBqhYA wh)

[2Fr\\_WEBCREf\\_Development1UimGeneratorTool1.html&usq=AOvVaw30A9F9skqTHfWfyBqhYA wh](https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=2ahUKEwjazZDrkobnAhWsyYUKHTo3DBsQFjABegQIAhAB&url=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.1%2Fen%2Fhtml%2FDevelopers%2FCuramWebClientReferenceManual%2Ffr_WEBCREf_Development1UimGeneratorTool1.html&usq=AOvVaw30A9F9skqTHfWfyBqhYA wh)

**QUESTION NO: 3**

Which two statements about configurable validations are true? (Choose two.)

- A. All out-of-the-box validations are configurable.
- B. Configurable validations are disabled by default.
- C. Configurable validations are listed in the Analysis Documentation.
- D. Configurable validations can be enabled and disabled by using the Administration Suite.
- E. Configurable validation error messages are defined in the ValidationConfiguration.xml file.


**ANSWER: A D**

**Explanation:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_6.1.1/com.ibm.curam.content.doc/SystemAdministration/c\\_SYSCONFIGAppConfigEnableDisableValidations.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_6.1.1/com.ibm.curam.content.doc/SystemAdministration/c_SYSCONFIGAppConfigEnableDisableValidations.html)

**QUESTION NO: 4**

You want to model attribute2 as a code table in the following entity.



Which two steps are required? (Choose two.)

- A. Set the domain definition for attribute2 to CODETABLE\_CODE.
- B. Set the Type for SAMPLE\_DOMAIN2 to CODETABLE\_CODE.
- C. Define the code table name as a property of attribute2.
- D. Define the code table name as a property of SAMPLE\_DOMAIN2.
- E. Define the code table name as a property of CODETABLE\_CODE.

**ANSWER: B C**

**QUESTION NO: 5**

You want to define infrastructure validation for MYDOMAIN, which is based on SVR\_INT64.

Which validation property can you define for MYDOMAIN?

- A. Pattern\_Match.
- B. Enable\_Validation.
- C. Maximum\_Size.
- D. Custom\_Validation\_Function\_Name.

**ANSWER: D**

**QUESTION NO: 6**

Examine the below message definition. What is the result when the runtime locale is set to fr\_CA?

```
<message name="MESSAGE_WHERE">  
  <locale country="CA" language="en">Washroom</locale>  
  <locale country="GB" language="en">Lavatory</locale>  
  <locale language="en">Restroom</locale>  
</message>
```

- A. Washroom.
- B. Lavatory.
- C. Restroom.
- D. An error is displayed.

**ANSWER: A**

**QUESTION NO: 7**

You are asked to implement a feature that checks client eligibility. The feature should be executed from a page. However, the time to perform the eligibility check may take longer than the accessible waiting time for users.

Which type of process should you use to implement the feature?

- A. Timer.
- B. Deferred.
- C. Event.
- D. Batch.

**ANSWER: D**

#### QUESTION NO: 8

In RSA, the Cúram properties tab allows you to specify the Left\_Class\_Shadow\_Type and Right\_Class\_Shadow\_Type for certain associations.

For which two associations can you specify the shadow class types? (Choose two.)

- A. Subclassing.
- B. Assignable.
- C. Foreign Key.
- D. Index.
- E. Aggregation.

**ANSWER: A B**

#### QUESTION NO: 9

Which statement about handcrafted service layer classes is true?

- A. The generators create the intf, base, and factory classes, while the developer provides the impl class.
- B. Entity classes are not modeled, as they are provided by the Entity Interface.
- C. The DAO Interface provides search (readmulti) operations.
- D. Handcrafted service layer classes do not use structs.

**ANSWER: A**

**QUESTION NO: 10**

Which task is valid when developing REST APIs in IBM Cúram SPM?

- A. Run 'build database' whenever you modify ResourcesConfig.xml.
- B. Define operations of type <> in a class of type <>.
- C. Document the structs and operations in ResourcesConfig.xml so that the documentation appears in Swagger UI.
- D. Specify the mandatory fields in the model.

**ANSWER: D****Explanation:**

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/MSDK/msdk\\_t\\_add\\_mandatory\\_fields.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/MSDK/msdk_t_add_mandatory_fields.html)