

DUMPS ARENA

Associate – PowerEdge

EMC DEA-41T1

Version Demo

Total Demo Questions: 10

Total Premium Questions: 119

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

An administrator sets up an In-Band management method to monitor their Dell EMC PowerEdge servers.

Which protocol uses In-Band management for basic communication and messaging?

- A. SNMP
- B. HTTP
- C. SMTP
- D. FTP

ANSWER: A**Explanation:**

Reference: <https://downloads.dell.com/manuals/common/dell-emc-sysmgmt-inband-outofbandidrac-and-ism-vs-omsa.pdf>

QUESTION NO: 2

What is the IP address "xxx.xxx.xxx.0" reserved for?

- A. Unicast address
- B. Network ID
- C. Broadcast address
- D. Network gateway

ANSWER: B**Explanation:**

Reference: <https://smallbusiness.chron.com/set-up-ip-addresses-office-51486.html>

QUESTION NO: 3

How can an administrator access a record of alerts in the iDRAC GUI?

- A. System > Details
- B. System > Overview

C. Maintenance > System Event Log

D. Troubleshooting > Lifecycle Log

ANSWER: A

Explanation:

Reference: <https://www.dell.com/support/kbdoc/en-pk/000131098/dell-idrac-configuring-emailnotifications-for-system-alerts-on-idrac7-8-and-idrac9>

QUESTION NO: 4

Refer to the exhibit.



What is this system referred to?

- A. HAC
- B. FANS
- C. CRAH
- D. HVAC

ANSWER: D

QUESTION NO: 5

What is the maximum bootable storage capacity supported by BIOS mode?

- A. 512 GB
- B. 1 TB
- C. 2 TB
- D. 4 TB

ANSWER: C**Explanation:**

Reference: <https://www.dell.com/community/PowerEdge-HDD-SCSI-RAID/Maximum-Storage/tdp/4013574>

QUESTION NO: 6

A customer needs to implement a vSwitch that will allow communication between certain virtual machines (VMs). The traffic must be segmented to the VMs and separated from the host.

Which type of vSwitch meets their needs?

- A. External switch
- B. Internal switch
- C. Private switch
- D. Restricted switch

ANSWER: B**QUESTION NO: 7**

A customer looks for a storage solution to boot the hypervisor, where one is active and the other standby.

Which solution will allow the requirement?

- A. BIOS
- B. IDSDM
- C. BOSS
- D. UEFI

ANSWER: C

Explanation:

Reference: <https://i.dell.com/sites/doccontent/shared-content/data-sheets/en/Documents/DellPowerEdge-Boot-Optimized-Storage-Solution.pdf>

QUESTION NO: 8 - (DRAG DROP)

DRAG DROP

Order the DHCP address handshake steps.

Select and Place:

Answer Area

Client sends DHCP-Request	Step 1
Server replies DHCP-Offer	Step 2
Client sends DHCP-Discover	Step 3
Server replies DHCP-ACK	Step 4

ANSWER:

Answer Area**Explanation:****QUESTION NO: 9**

A system administrator is installing Hyper-V on a Windows Server 2016. They receive an error message. How can they solve the problem?

- A. Ensure minimum memory of 2 GB
- B. Verify that the virtualization feature is enabled
- C. Check the installed processor is x86
- D. Confirm essentials license is installed

ANSWER: D**QUESTION NO: 10**

Which open source operating system is designed to handle demanding business applications such as network and system administration, database management, and web services?

- A. Linux
- B. AIX
- C. Windows

D. ESXi

ANSWER: A

Explanation:

Reference: https://www.webopedia.com/TERM/L/linux_server.html