

DUMPS ARENA

HCNP-VC (Video Conference)

Huawei H11-861

Version Demo

Total Demo Questions: 15

Total Premium Questions: 303

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Audio signals can be encoded in the following modes.()

(Select 3 answers)

- A. Waveform coding
- B. Forecast coding
- C. Parameter coding
- D. Hybrid coding

ANSWER: A C D

QUESTION NO: 2

An RTP packet consists of the fixed RTP header and the payload data, the first 12 bytes of the header are fixed and have fixed meaning. The payload can be audio or video data. ()

- A. TRUE
- B. FALSE

ANSWER: A

QUESTION NO: 3

If a video terminal exits a conference unexpectedly, it can dial the special service number to join the conference again.()

- A. TRUE
- B. FALSE

ANSWER: A

QUESTION NO: 4

The NLog V2 requires a flash player plug-in to be fully functional.()

- A. TRUE
- B. FALSE

ANSWER: B

QUESTION NO: 5

Voice Quality Specifications contain()- (Select 3 answers)

- A. Packet loss rate
- B. Delay
- C. Bandwidth
- D. Back to back

ANSWER: A B C

QUESTION NO: 6

The MCU needs to decode videos of all endpoints involved in the continuous presence, code the video into one channel of video, and transmit the video to all endpoints that need to view the continuous presence.()

- A. TRUE
- B. FALSE

ANSWER: B

QUESTION NO: 7

RTP is Real-time Transport Control Protocol: RTP provides end-to-end network transport functions suitable for applications transmitting real-time data, such as audio, video or simulation data, over multicast or unicast network services. ()

- A. TRUE
- B. FALSE

ANSWER: B

QUESTION NO: 8

A zone consists of endpoints managed by the GK and the gateway and MCU. In a zone, at least one endpoint must be available and the gateway and MCU are optional.()

- A. TRUE
- B. FALSE

ANSWER: A

QUESTION NO: 9

The three HD display modes provided by the HD video terminal are (). (Select 3 answers)

- A. Stretch
- B. No stretch
- C. Tile
- D. Intelligent stretch

ANSWER: A B D

QUESTION NO: 10

Wireshark supports packet decoding for various protocols, include (). (Select 3 answers)

- A. IP
- B. TCP
- C. RTP
- D. H.263

ANSWER: A B C

QUESTION NO: 11

ARQ is Similar to the TCP retransmission mechanism, when the network detects UDP packet loss in video stream, it requires the peer to resend UDP stream. The receiver uses a buffer to store code stream, and starts decoding after receiving the retransmitted UDP stream. ()

- A. TRUE
- B. FALSE

ANSWER: A

QUESTION NO: 12

Capability negotiation is used to declare the receiving and transmitting capabilities supported by the local endpoint and the preferential selection capability set of the local endpoint that should be preferentially considered by the peer endpoint. ()

- A. TRUE
- B. FALSE

ANSWER: A

QUESTION NO: 13

The quality of digital signals depends on the following factors. () (Select 3 answers)

- A. Bandwidth
- B. Sampling rate
- C. Bit depth
- D. Number of audio channels

ANSWER: B C D

QUESTION NO: 14

Which of the following statements are true about the signaling traversal solution using H.460? () (Select 3 answers)

- A. Public network terminals use H.323 to send ARQ messages to private network terminals.
- B. The TS sends standard SCI messages to private network terminals to ask public network terminals to call the TS back.
- C. TCP channels between private network terminals and the TS are established by private network terminals.
- D. After the TCP channel is established, the private network terminal is directly connected to the public network terminal.

ANSWER: A B C

QUESTION NO: 15

The IP header in a SETUP message does not contain the following (). (Select 2 answers)

- A. Caller CS address
- B. GK RAS address
- C. Caller RAS address
- D. Callee CS address

ANSWER: B C