

DUMPS ARENA

Citrix NetScaler 12 Essentials and Traffic Management

Citrix 1Y0-240

Version Demo

Total Demo Questions: 10

Total Premium Questions: 122

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Scenario: A Citrix Administrator created an SSL vServer using only the following commands:

```
add lb vserver sslvserver SSL 10.102.29.133 444 add service sslsvc1 192.168.0.14 SSL 443 add service sslsvc2 192.168.0.15 SSL 443
```

```
bind lb vserver sslvserver sslsvc1 bind lb vserver sslvserver sslsvc2 set ssl vserver sslvserver -ssl3 disabled
```

The SSL vServer is currently in a DOWN state.

What could be the reason the SSL vServer is in a down state?

- A. SSLv3 is disabled.
- B. The SSL Certificate is NOT bound to the vServer.
- C. The SSL services are NOT on the 10.102.29.X network
- D. The vServer SSL port is NOT set to port 443.

ANSWER: C**QUESTION NO: 2**

Which type of Citrix ADC monitor can a Citrix Administrator use to check the authentication service of the Active Directory Domain Controller?

- A. The TCP monitor with the LDAP Base DN parameters configured in the Special Parameters.
- B. A custom LDAP monitor with the LDAP Script Name, Base DN, Bind DN, Filter, Attribute and Password parameters configured in the Special Parameters.
- C. The Ping monitor with the Active Directory Domain Controller in the Special Parameters.
- D. The RADIUS monitor with the Base DN, Bind DN, Filter, Attribute and Password parameters configured in the Special Parameters.

ANSWER: B**QUESTION NO: 3**

Which Citrix ADC-owned IP address will send traffic from the Citrix ADC to NTP servers by default?

- A. NSIP

- B. CLIP
- C. SNIP
- D. VIP

ANSWER: A

QUESTION NO: 4

View the Exhibit.

```
>  
> add transform profile prof_url_change  
Done  
> add transform action "URL change" prof_url_change 10  
Done  
> set transform action "URL change" -priority 10 -reqUrlFrom "https://*" -reqUrlInto "http://*" -resUrlFrom "http://*" -resUrlInto "http://*"  
Done  
> add transform policy pol_url_change true prof_url_change  
Done  
> bind lb vserver LB_vserver -policyName pol_url_change -priority 100  
-gotoPriorityExpression END -type REQUEST
```

A Citrix Administrator has executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

Which two replacements will be the outcome of executing these commands? (Choose two.)

- A. http:// will be replaced by https:// in the HTTP RESPONSE
- B. https:// will be replaced by http:// in the HTTP RESPONSE
- C. http:// will be replaced by https:// in the HTTP REQUEST
- D. https:// will be replaced by http:// in the HTTP REQUEST

ANSWER: B D

QUESTION NO: 5

Scenario: A Citrix Administrator is troubleshooting a Citrix ADC issue. The administrator goes to the command line and from the Shell, tails the ns.log to view the log in real time to find the issue. After a few minutes, the administrator noticed that the logs stopped scrolling and the issue was missed.

How can troubleshooting continue using the ns.log?

- A. The ns.log needs to be downloaded to the client machine for full viewing.
- B. The ns.log service has stopped and needs to be restarted.
- C. The ns.log is still running. Press 'Enter' and the ns.log will resume.
- D. The ns.log has reached its 100 KB limit. Press 'CTRL+C' to stop it from running and issue the command "tail-f ns.log" to resume.

ANSWER: A

QUESTION NO: 6

A Citrix Administrator executed the following command in the Global Server Load Balancing (GSLB) environment: set gslb site SiteB -triggerMonitor MEPDOWN

What will be the effect of this command to the default service monitoring behavior on the remote site?

- A. The state of the GSLB service will always be controlled by Metric Exchange Protocol (MEP).
- B. The service monitor is invoked only when Metric Exchange Protocol (MEP) has marked the service as DOWN for any reason.
- C. The service monitor will take precedence over Metric Exchange Protocol (MEP).
- D. The service monitor is invoked only when Metric Exchange Protocol (MEP) connectivity has been lost between SiteA and SiteB.

ANSWER: B

QUESTION NO: 7

Scenario: External users are currently experiencing delays while accessing XenApp and XenDesktop through the Citrix ADC. A Citrix Administrator needs to monitor the ICA connections to gather the performance information from the Citrix ADC Management and Analytics System (MAS).

Which two tools can the administrator use to gather information about WAN Latency, DC Latency and Host Delay? (Choose two.)

- A. HDX Insight
- B. Gateway Insight
- C. Web Insight
- D. TCP Insight

ANSWER: A C

QUESTION NO: 8

Which two options should a Citrix Administrator configure to stop the First-Time wizard form automatically popping up? (Choose two.)

- A. Host Name is NOT configured on the appliance.
- B. The appliance is configured with the default IP address (192.168.100.1).
- C. Licenses are NOT present on the appliance.
- D. The Default Admin Password has NOT been changed.

ANSWER: A B**QUESTION NO: 9**

Which three authentication types can a Citrix Administrator use for Citrix ADC AAA dual-factor authentication? (Choose three.)

- A. TACACS+
- B. RADIUS
- C. ADFS
- D. LINUX
- E. LDAP

ANSWER: A B E**QUESTION NO: 10**

What two options are limitations of a typical Global Server Load Balancing (GSLB) setup? (Choose two.)

- A. Apply spillover policies on a subset of GSLB services, and the user CANNOT have a backup for a subset of GSLB services.
- B. An administrator CANNOT define a backup for a backup Vserver in an active standby GSLB setup for a given GSLB domain.
- C. Restrict the selection of a GSLB service from a subset of GSLB service bound to a GSLB vServer for the given domain.
- D. Any given GSLB Vserver can load-balance only one FQDN.

ANSWER: A C