

DUMPS ARENA

Citrix XenApp and XenDesktop 7.15 Advanced Administration Exam

Citrix 1Y0-311

Version Demo

Total Demo Questions: 10

Total Premium Questions: 138

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Scenario: A company has locations in three cities: New York, San Francisco and Miami. Each location is connected over a WAN link. Each location maintains a large number of users who will need to access applications and desktop resources.

A Citrix Engineer maintains minimal hardware resources and needs to build a new XenDesktop infrastructure that can guarantee a reliable network for the users and which requires minimal infrastructure management for the engineer.

Which deployment should the engineer implement to meet this scenario?

- A.** A single XenDesktop Site with three zones (Primary Zone in New York and two Satellite Zones in Miami and San Francisco), and one SQL database maintained in each zone.
- B.** A single XenDesktop Site with three Satellite Zones (New York, Miami and San Francisco), with each zone maintaining its own Cloud Connector and implementation of the infrastructure within the Citrix Cloud.
- C.** A single XenDesktop Site with three zones (Primary Zone in New York and two Satellite Zones in Miami and San Francisco), and one SQL database maintained in New York.
- D.** A single XenDesktop Site with three Satellite Zones (New York, Miami and San Francisco), a single Cloud Connector in one of the Satellite Zones and implementation of the infrastructure within the Citrix Cloud.

ANSWER: B**QUESTION NO: 2**

Scenario: A Citrix Engineer needs to establish the following timeout behavior for Receiver for Web:

- External users need to re-authenticate after 5 minutes of inactivity on Receiver for Web.
 - Internal users need to re-authenticate after 20 minutes of inactivity on Receiver for Web. Which two actions can the engineer configure to achieve the timeout behavior? (Choose two.)
- A.** Set Citrix policy "Session connection timer interval" to 20 minutes.
 - B.** Leave StoreFront Receiver for Web session setting at default value.
 - C.** Change Citrix Gateway global timeout setting to 5 minutes.
 - D.** Change timeout value in StoreFront Receiver for Web Advanced Settings.
 - E.** Set Citrix policy "Session connection timer interval" to 5 minutes.

ANSWER: A C**QUESTION NO: 3**

In which order must a Citrix Engineer install the required components to prepare the master device after installing the Windows operating system?

- A. Target device software, device drivers, service pack updates
- B. Service pack updates, device drivers, target device software
- C. Device drivers, service pack updates, target device software
- D. Device drivers, target device software, service pack updates

ANSWER: C

Explanation:

Reference: <https://docs.citrix.com/en-us/provisioning/current-release/install/target-image-prepare.html>

QUESTION NO: 4

Which three Provisioning Services components can be located on the Provisioning Services server? (Choose three.)

- A. Store
- B. Provisioning Services Management console
- C. DHCP, PXE and TFTP Services
- D. Device collection
- E. Target device

ANSWER: B C E

QUESTION NO: 5

Which action should a Citrix Engineer take to create backups of the StoreFront subscription store so that users' subscriptions are NOT lost in the event of an environment outage?

- A. Use PowerShell commands to export the subscription store to a text file and move it to an alternative location.
- B. Use the StoreFront console to export the subscription store to an XML file and move it to an alternative location.
- C. Use the built-in SQL backup feature to create a backup of the XenApp and XenDesktop Site database.
- D. Use the built-in SQL backup feature to create a backup of the subscription store database.

ANSWER: A

QUESTION NO: 6

Scenario: An administrator is deploying a new server to host the latest Citrix Web Interface version. During a test, the administrator has NOT been able to authenticate and access the list of published applications.

Which two actions must the administrator take to debug the Citrix Web Interface? (Choose two.)

- A. Specify a valid path to generate a log file.
- B. Edit the web.config file to enable the debug feature.
- C. Use the Process Monitor tool to monitor the IIS processes.
- D. Use the Windows Debug tool to generate and analyze a memory dump.

ANSWER: A B

QUESTION NO: 7

After an administrator restarts a XenApp server, the XenApp Administrator notices that the IMA Service is NOT starting.

Which two components could be causing the issue? (Choose two.)

- A. RPC Service
- B. Local host cache
- C. Citrix Streaming Service
- D. Remote Desktop Service

ANSWER: A B

QUESTION NO: 8

Which three actions are necessary when using the versioning vDisk update process? (Choose three.)

- A. Perform updates using a single target device.
- B. Make a full copy of the vDisk.
- C. Put the vDisk into Private mode.
- D. Create a maintenance version of the vDisk
- E. Promote the changes to production.
- F. Update the properties of the production target devices to use the updated vDisk.

ANSWER: C D E

QUESTION NO: 9

Which Provisioning Services component can communicate directly with the Farm database?

- A. Store
- B. Provisioning Services server
- C. vDisk
- D. Target device

ANSWER: B

QUESTION NO: 10

What occurs after a Provisioning Services target device downloads or otherwise accesses the bootstrap file?

- A. Steady-state streaming
- B. The login process
- C. IP acquisition
- D. Single-Read mode

ANSWER: B