

DUMPS ARENA

Designing, Deploying and Managing Citrix XenMobile 10 Enterprise Solutions

Citrix 1Y0-371

Version Demo

Total Demo Questions: 10

Total Premium Questions: 118

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

Topic Break Down

Topic	No. of Questions
Topic 1, Installing the Components of a XenMobile 10 Enterprise Solution	18
Topic 2, Designing a XenMobile 10 Enterprise Solution	20
Topic 3, Configuring and Integrating the Components of a XenMobile 10 Enterprise Solution	38
Topic 4, Managing and Maintaining the Components of a XenMobile 10 Enterprise Solution	42
Total	118

QUESTION NO: 1

A Citrix Engineer installed XenMobile Mail Manager and needs to ensure that ActiveSync clients are quarantined if they are NOT enrolled in the XenMobile Server.

Which Default Rule should the engineer choose in this scenario?

- A. Allow
- B. Block
- C. Unchanged
- D. Quarantine

ANSWER: C**QUESTION NO: 2**

After a successful Android device enrollment through a NetScaler load balancer, the device was immediately selectively wiped.

Which two scenarios could be the cause of this selective wipe? (Choose two.)

- A. All of the NetScaler Universal Access Licenses have been allocated.
- B. The NetScaler port 443 virtual server did NOT have the XenMobile Devices or Root certificate bound.
- C. The NetScaler port 8443 virtual server did NOT have the XenMobile Devices or Root certificate bound.
- D. The NetScaler virtual server was re-encrypting back to the XenMobile Server over port 443.

ANSWER: B D**QUESTION NO: 3**

Which two options are advantages of configuring a scheduling policy to Always? (Choose two.)

- A. Improves email flow experience.
- B. Reduces the number of authentication prompts.
- C. Increases responsiveness of policy pushes.
- D. Strengthens security posture.

ANSWER: C D

QUESTION NO: 4

A Citrix Engineer must deploy a scheduling policy to _____ and _____ devices in order to allow these devices to check in automatically without further intervention by the engineer.

(Choose the two correct options to complete the sentence.)

- A. iOS
- B. Android
- C. Windows Phone 8.1
- D. Symbian

ANSWER: B D

QUESTION NO: 5

What is the correct format for defining the XenMobile web enrollment service root URL?

- A. https://Certsrv
- B. https://:4443/Certsrv
- C. https://Certnew.cer
- D. https://Certfnsh.asp

ANSWER: A

QUESTION NO: 6

Which three options must occur on the virtual server during the initial configuration of the Mobile Application Management (MAM) load-balancing virtual server? (Choose three.)

- A. The virtual server listens over port 8443.
- B. The virtual server listens over port 443.
- C. The virtual server requires SSL Session persistence.
- D. The virtual server requires CUSTOMSERVERID persistence.
- E. The "Load Balancing FQDN for MAM" must correspond to the FQDN specified during initial XenMobile Server installation.

F. The "Load Balancing FQDN for MAM" must correspond to the internal FQDN for the IP address being used.

ANSWER: A D E

QUESTION NO: 7

Scenario: A Citrix Engineer has already backed up the XenMobile configuration database. The following is a list, in no particular order, of some of the remaining steps that the engineer must complete to apply a patch to a multi-node, clustered XenMobile Server deployment:

1. Shut down the updated node.
2. Repeat the above steps for each node in the cluster until all nodes have been upgraded.
3. Fail over to secondary node.
4. Update the running node and confirm that the service is running.
5. Start the next node in the cluster.
6. Shut down all but one node.
7. Verify that all nodes are running in the cluster.
8. Update all nodes at the same time.
9. Restore the XenMobile configuration database.

Which six steps must the engineer take, and in which order do they need to be completed, to apply a patch to a multi-node, clustered XenMobile Server deployment?

- A. 6, 4, 1, 5, 2, 7
- B. 6, 8, 7, 1, 3, 9
- C. 7, 8, 6, 3, 2, 9
- D. 7, 6, 3, 4, 9, 2

ANSWER: A

QUESTION NO: 8

What are three reasons why a Citrix Engineer would tag a device? (Choose three.)

- A. Enrollment invitations
- B. Application deployment
- C. Dashboard reporting

- D. Policy deployment
- E. Role-based Access Control

ANSWER: B C D

QUESTION NO: 9

Scenario: Microsoft CA certificate-based authentication is the sole authentication method being used for Mobile Application Management (MAM). A certificate administrator revokes a user's client certificate. After doing so, the user can still access applications in the Worx Store.

What could a Citrix Engineer do to make sure that the user will no longer be able to access the Worx Store when their certificate is revoked?

- A. Terminate the user's active sessions on the NetScaler Gateway.
- B. Configure the certificate revocation list on the NetScaler.
- C. Set two-factor authentication on the XenMobile Server.
- D. Configure the certificate revocation list on the XenMobile Server.

ANSWER: B

QUESTION NO: 10

Scenario: A Citrix Engineer plans to implement XenMobile and integrate it with an existing XenDesktop 7.6 environment. The engineer also plans to use WorxMail in Secure Ticket Authority (STA) mode.

Which statement is true regarding the NetScaler configuration?

- A. The XenMobile Server could function as the STA for both WorxMail and XenDesktop, but the XenDesktop Delivery Controllers CANNOT perform this function.
- B. The XenDesktop Delivery Controller could function as the STA for both WorxMail and XenDesktop, but the XenMobile Server CANNOT perform this function.
- C. Either the XenMobile Server or the XenDesktop Delivery Controller could be used as the STA in this setup.
- D. Both the XenMobile Server and the XenDesktop Delivery Controller must be specified as STAs.

ANSWER: D