

# DUMPS ARENA

**NCSS SDM ONE NDS OaM-TSH-16.0**

Nokia NCM 20002021610

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

What does "force preferred primary do?

- A. This action advertises that the current node is primary to all other nodes.
- B. This action makes the current node as primary-standby.
- C. This action checks the DS link status to all connected ND5 nodes.
- D. This action resolves dual-primary situation.

**ANSWER: D****QUESTION NO: 2**

How is the housekeeping of log files managed on RDS/BDS nodes?

- A. With the script tidy.files.sh.
- B. By the process ALMOG.
- C. It is the responsibility of ADM to perform housekeeping.
- D. Manually.

**ANSWER: C****QUESTION NO: 3**

A special search property that allows the ldap user to retrieve large number of objects from the database without impacting the normal functioning of the DS is called:

- A. Stream search.
- B. Proxy search using 16680 port.
- C. safeorg.
- D. Safe search.

**ANSWER: B****QUESTION NO: 4**

Which one of the following is a mode SENSITIVE ldap port?

- A. 9091.
- B. 16612.  
186.
- C. 30300.

**ANSWER: A**

#### QUESTION NO: 5

What is the maximum Number of DSA nodes that can be addressed by the ADM?

- A. 64BE-DSA + 1 R-DS
- B. 59 BE-DSA + 1 PG-DSA.
- C. 59 BE-DSA + 1 R-DSA.
- D. 64 BE-DSA + 1 PG-DSA + 1 R-DSA.

**ANSWER: D**

#### QUESTION NO: 6

How to debug logs on PGW?

- A. /opt/provgw/tomcat/bin/set-log-level.sh debug.
- B. /opt/provgw/bin/set-log-level.sh all.
- C. Only manual editing is allowed of log4j.properties and restart of PGW instances.
- D. /opt/provgw/bin/set-log-level.sh debug followed by restart of PGW instances.

**ANSWER: D**

#### QUESTION NO: 7

How is the value for the counter actualFreeMemory calculated?

- A. Based on both the available free memory and the reclaimable memory.
- B. Based on the available free memory.
- C. Based on the reclaimable memory.

D. Based on both the available free memory and swap memory.

**ANSWER: B**

### QUESTION NO: 8

Where can we find the information of SPML requests that were executed over sftp interface? O A. There is no way to obtain this information.

B. From the PGW command logs provgw-spml\_command.log\* under/opt/provgw/tomcat/instanceX/logs/command\_logs/.

C. The name of the file executed can be found in the file provgw-bulkfile\_command.log. But the contents of the file aren't stored in it.

D. Both the name and contents of the file executed can be found in the file proygw bulkfile\_command.log.

**Answer: C**

A. From the PGW command logs provgw-spml\_command.log\* under/opt/provgw/tomcat/instanceX/logs/command\_logs/.

B. The name of the file executed can be found in the file provgw-bulkfile\_command.log. But the contents of the file aren't stored in it.

D. Both the name and contents of the file executed can be found in the file proygw bulkfile\_command.log.

**ANSWER: B**

### QUESTION NO: 9

How do you identify the SOAP endpoints currently available on the PGW?

A. You find out the rpms currently installed on the PGW and deduce the end points from there.

B. The available SOAP endpoints will be visible when you login to the PGW GUI.

C. By using the url http://:8081;/ProvisioningGateway/services .

D. It can be checked via the ADM GUI.

**ANSWER: C**

### QUESTION NO: 10

What should be upgraded first - OneNDS AEP or the application Front End?

A. Both can be upgraded together.

B. OneNDS AEP should be upgraded first followed by the FE.

- C. FE should be upgraded first followed by the AEP.
- D. It does not matter in which order the upgrade is done.

**ANSWER: A**