

DUMPS ARENA

Alfresco Content Services Certified Engineer

Alfresco ACSCE-5X

Version Demo

Total Demo Questions: 10

Total Premium Questions: 87

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Select the element that will allow any node to be included as part of a peer association:

- A. d:noderef
- B. ANY
- C. sys:base
- D. cm:cmobject

ANSWER: C**QUESTION NO: 2**

Which of the following APIs facilitate the development of a remote client that can access both Cloud and On-Premise Alfresco Content Services repositories? (Choose two.)

- A. Repository JavaScript API
- B. FreeMarker Template API
- C. Alfresco Content Services API
- D. Public Java API
- E. CMIS API

ANSWER: A E**QUESTION NO: 3**

What does the CMIS object model not support?

- A. versioning
- B. workflow
- C. policy
- D. document

ANSWER: B

QUESTION NO: 4

On which type of nodes can content rules be defined? (Choose two.)

- A. Content.
- B. DataList.
- C. Folders.
- D. Person.
- E. Aspect.

ANSWER: C D

QUESTION NO: 5

What is the API used to access nodes and node related information from a FreeMarker template?

- A. ScriptNode
- B. TemplateNode
- C. NodeRef
- D. TemplateObject

ANSWER: B

Explanation:

References: <http://docs.alfresco.com/4.2/references/API-FreeMarker-TemplateNode.html>
<https://community.alfresco.com/docs/DOC-4748-template-guide>

QUESTION NO: 6

Share UI configuration will allow you to control which aspects a user sees. What other two things (out of the box) can be controlled? (Choose two.)

- A. The combinations of aspects that can be applied together.
- B. The aspects that can be applied based on the underlying type.
- C. The aspects that can be removed once applied.

- D. The aspects a user can add.
- E. The aspects that are mandatory.

ANSWER: A B

QUESTION NO: 7

A custom web script is called via the URL `/example/test/helloworld.html`, relative to the RESTful API base URL.

What value must be declared in the script's descriptor to configure this?

- A. `helloworld`
- B. `/example/test/helloworld`
- C. `/example/test/helloworld.html`
- D. `/example`

ANSWER: B

QUESTION NO: 8

What are the variable's scopes available for Activiti workflows?

- A. Process instance and task.
- B. Node and task.
- C. Process instance and form.
- D. Process instance and global.

ANSWER: A

QUESTION NO: 9

Which of the following URLs are a valid base for accessing the Alfresco 5.2 Rest API for an Alfresco repository accessible via the URL `http://server/alfresco/`? (Choose two.)

- A. `http://server/alfresco/s`
- B. `http://server/alfresco/restful`

- C. `http://server/alfresco/script`
- D. `http://server/alfresco/ws`
- E. `http://server/alfresco/service`

ANSWER: D E

QUESTION NO: 10

In Share the Document Library defines a number of “action groups” which determine the actions shown to the user. What would determine the action group used? (Choose two.)

- A. The type of node.
- B. The aspects applied to the node.
- C. The mime type of the node.
- D. The status of the document.
- E. The current user.
- F. The view currently in use.

ANSWER: A F