

# DUMPS ARENA

## Alfresco Process Services Certified Administrator

Alfresco APSCA

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

Which property is required to enable Google Drive that will show up in the upload widget?

- A. google.drive=enabled
- B. googledrive.web.disabled=true
- C. google.drive=false
- D. googledrive.web.disabled=false

**ANSWER: B****Explanation:**

Reference: [https://docs.alfresco.com/process-services1.10/topics/integration\\_with\\_external\\_systems.html](https://docs.alfresco.com/process-services1.10/topics/integration_with_external_systems.html)

**QUESTION NO: 2**

When a new user is created, which capabilities groups is the new user assigned to by default?

(Choose two.)

- A. app-designer-users
- B. analytics-users
- C. tenant-managers
- D. Superusers
- E. Administrators

**ANSWER: B E****Explanation:**

Reference: <https://docs.alfresco.com/process-services1.9/topics/groups.html>

**QUESTION NO: 3**

Which setting do you need to configure to enable the email server to send email notifications?

- A. mail.enabled=true

- B. email.notification=true
- C. email.events=true
- D. email.enabled=true

**ANSWER: A**

#### QUESTION NO: 4

By default, into which of the following filesystem locations can the Alfresco Process Services' license file be uploaded? (Choose two.)

- A. In the application container classpath.
- B. In the license subfolder of the installation directory.
- C. In the location defined by the \$USER\_HOME environment variable.
- D. In the location defined by the \$USER\_HOME environment variable.
- E. In the filesystem location defined by \$USER\_HOME/.activiti/enterprise-license/

**ANSWER: A E**

#### Explanation:

Reference: <https://docs.alfresco.com/process-services1.7/topics/licensing.html>

#### QUESTION NO: 5

Which one of the following options is NOT valid to determine the task id for a task?

- A. One can determine the task id as a part of the URL while reviewing a task in activiti-app.
- B. One can determine the task id via the Tasks tab in activiti-admin.
- C. One can determine the task id by checking the details of the related process using the Alfresco Process Services REST API.
- D. One can determine the task id by reviewing the Monitoring tab in activiti-admin.

**ANSWER: A**

#### Explanation:

Reference: [https://docs.alfresco.com/activiti/docs/admin-guide/1.5.0/#\\_using\\_activiti\\_administrator](https://docs.alfresco.com/activiti/docs/admin-guide/1.5.0/#_using_activiti_administrator)

**QUESTION NO: 6**

Which of the following technologies can be used for clustering a multi-node instance of Alfresco

Process Services? (Choose two.)

- A. VM Clustering.
- B. Load Balancer.
- C. Proxy.
- D. JLAN Clustering.
- E. Ehcache.

**ANSWER: B E****QUESTION NO: 7**

Which of the following application containers are supported by Alfresco Process Services?

(Choose two.)

- A. Tomcat.
- B. JBoss.
- C. Jetty.
- D. Glassfish.
- E. Geronimo.

**ANSWER: A B****Explanation:**

Reference: <https://hub.alfresco.com/t5/alfresco-content-services-blog/architecture-changes-foralfresco-content-services-version-6-0/bc-p/288932#M1544>

**QUESTION NO: 8**

You notice that once you have installed activiti-app and started using it that you have the following directories: `act_data/activiti-elastic-search-data` and `act_data/data`.

If you need to move the data used by activiti-app of to another disk because you are low on disk space, which statement is correct?

- A. The `act_data/activiti-elastic-search-data` directory must be copied over to the new location and update the path in the `activiti-app.properties`.
- B. The `act_data/data` directory does not need to be copied over since, it will repopulate from the database as long as the path in the `activiti-app.properties` is updated.
- C. The `act_data/data` directory has sub directories which you can copy to multiple different disks and update the paths in the `activiti-app.properties`.
- D. The `act_data/data` and `act_data/activiti-elastic-search-data` both must be copied over to the new location and update the path in the `activiti-app.properties`.
- E. The `act_data/data` directory must be copied to the new location and update the path in the `activiti-app.properties`.

**ANSWER: B**

### QUESTION NO: 9

Which values could be used for the `elastic-search.server.type` property? (Choose two.)

- A. client.
- B. standalone.
- C. enterprise.
- D. embedded.
- E. isolated.

**ANSWER: A D**

#### Explanation:

Reference: [https://docs.alfresco.com/process-services1.8/topics/elasticsearch\\_configuration.html](https://docs.alfresco.com/process-services1.8/topics/elasticsearch_configuration.html)

### QUESTION NO: 10

For security reasons you do not want to allow any processes to be designed with script tasks as it could be used maliciously, is there a way to prevent this?

- A. No, this is a base task in the App Designer process editor and it cannot be disabled, you will need to restrict who has access to App Designer to create processes.
- B. The capability 'script task allowed' can be removed from the capability group for users you want to prevent from using script tasks.
- C. A validator property can be set to false to disable script tasks in the `activiti-app.properties` file.

D. If you synchronize in users from external, you can modify configuration in the `activitildap.properties` to prevent users from using script tasks '`ldap.synchronization.scripttask=false`'.

**ANSWER: C**

**Explanation:**

Reference: [https://docs.alfresco.com/activiti/docs/admin-guide/1.5.0/#\\_disabling\\_tasks](https://docs.alfresco.com/activiti/docs/admin-guide/1.5.0/#_disabling_tasks)