

DUMPS ARENA

IBM Cloud Application Development v3

IBM C1000-007

Version Demo

Total Demo Questions: 10

Total Premium Questions: 59

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

In Istio, the control plane configures mixers for which two items?

- A. Sidecar
- B. Data logging
- C. User registry
- D. Enforcing policies
- E. Collecting telemetry

ANSWER: A D

QUESTION NO: 2

What are two advantages of creating views in IBM Cloudant?

- A. It deletes a bulk of documents
- B. It uses `_id` to index documents
- C. It speeds up searching for content
- D. It uses full-text search through the data
- E. It pre-processes the results before returning them to the client

ANSWER: B D

QUESTION NO: 3

Which two methods are considered safe under HTTP specification for RESTful APIs?

- A. GET
- B. PUT
- C. HEAD
- D. POST

E. PATCH

ANSWER: A C

QUESTION NO: 4

Which two languages are available with the IBM Cloud Object Storage SDK?

- A. Go a
- B. Perl
- C. Java
- D. Node.js
- E. .NET Core

ANSWER: A D

QUESTION NO: 5

A Node.js application needs to be deployed first on a staging environment to be tested before it is deployed to production environment . Using the Delivery Pipeline, two Deploy stages were created, one called

"DeployToStag" targeting staging environment and the other called "DeployToProd" targeting production environment.

On running the DeployToStag stage it ran successfully while on running the DeployToProd stage it failed with the following error:

"The route myapp.mybluemix.net is already in use"

```
cf push "${CF_APP}"
```

Which command in the Deploy script for the DeployToProd stage can fix the error? A)

B)

```
cf push "${CF_APP}" --no-manifest
```

C)

```
cf push "${CF_APP}" -h my-prod-app
```

D)

```
cf push "${CF_APP}" --random-route
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

ANSWER: D

QUESTION NO: 6

Which factor of the Twelve-Factor App methodology discusses how best to understand an applications lifecycle?

- A. Logs
- B. Processes
- C. Disposability
- D. Build, release, run

ANSWER: D

QUESTION NO: 7

What is Compose for etcd used to store?

- A. Messaging data
- B. Key/value pair data
- C. Data in JSON documents
- D. Data in a relational schema

ANSWER: B

QUESTION NO: 8

What are two features of Compose for Redis?

- A. Slow logs
- B. SSL binding
- C. TLS encryption
- D. NoSQL deployment
- E. Continuous integration

ANSWER: B C

QUESTION NO: 9

In Hyperledger Fabric, which HTTP request invoked inside the chaincode can cause consensus failures?

- A. An HTTP request to retrieve a postal code
- B. An HTTP request to retrieve a telephone number
- C. An HTTP request to retrieve a real-time stock price
- D. An HTTP request to retrieve the birthday of an individual

ANSWER: C

QUESTION NO: 10

What development pattern delegates the creation of a component to access business data to the team developing the user interface for a specific application channel, such as mobile or web?

- A. Circuit Breaker
- B. Omnichannel Code
- C. Business Data Feed
- D. Backend for Frontend

ANSWER: C