

DUMPS ARENA

CyberArk Defender + Sentry

CyberArk CAU302

Version Demo

Total Demo Questions: 15

Total Premium Questions: 227

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

A Simple Network Management Protocol (SNMP) integration allows you to forward audit records from the vault to the Security Information and Event Management (SIEM).

- A. TRUE
- B. FALSE

ANSWER: A**QUESTION NO: 2**

The Vault needs to send Simple Network Management Protocol (SNMP) traps to an SNMP solution. In which configuration file do you set the IP address of the SNMP solution?

- A. PARAgent.ini
- B. dbparm.ini
- C. ENEConf.ini
- D. my.ini

ANSWER: A**QUESTION NO: 3**

What are the functions of the Remote Control Agent service? (Choose all that apply.)

- A. Allows remote monitoring of the Vault
- B. Sends SNMP traps from the Vault
- C. Maintains audit data
- D. Allows CyberArk Services to be managed (start/stop/status) remotely

ANSWER: A B D**QUESTION NO: 4**

Which CyberArk components or products can be used to discover Windows Services or Scheduled Tasks that use privileged accounts? (Choose all that apply.)

- A. Discovery and Audit (DNA)
- B. Auto Detection (AD)
- C. Export Vault Data (EVD)
- D. On Demand Privileges Manager (OPM)
- E. Accounts Discovery

ANSWER: C D E

QUESTION NO: 5

In Accounts Discovery, you can configure a Windows discovery to scan _____.

- A. as many OUs as you wish.
- B. up to three OUs.
- C. only one OU.
- D. a number of OUs determined by the OUstoScan setting under the Accounts Feed section in the Administration tab.

ANSWER: C

QUESTION NO: 6

The vault provides a tamper-proof audit trail.

- A. TRUE
- B. FALSE

ANSWER: A

QUESTION NO: 7

Which of the Following can be configured in the Master Policy? (Choose all that apply.)

- A. Dual Control
- B. One Time Passwords

- C. Exclusive Passwords
- D. Password Reconciliation
- E. Ticketing Integration
- F. Required Properties
- G. Custom Connection Components
- H. Password Aging Rules

ANSWER: A B G H

QUESTION NO: 8

What conditions must be met in order to log into the vault as the Master user? (Choose all that apply.)

- A. Logon must be originated from the console of the Vault Server or an EmergencyStation defined in DBParm.ini
- B. User must provide the correct master password.
- C. Logon requires the Recovery Private Key to be accessible to the vault.
- D. Logon must satisfy a challenge response request.

ANSWER: A B

QUESTION NO: 9

After the Vault server is installed, the Microsoft Windows firewall is now commandeered by the Vault. Can the administrator change these firewall rules?

- A. Yes, but the administrator can only modify the firewall rules by editing the dbparm.ini file and the restarting the Vault.
- B. Yes, the administrator can still modify firewall rules via the Windows firewall interface.
- C. No, the Vault does not permit any changes to the firewall due to security requirements.
- D. Yes, but the administrator can only modify the firewall rules by editing the FirewallRules.ini file and the restarting the Vault.

ANSWER: A

QUESTION NO: 10

Name two ways of viewing the ITALog:

- A. Log into the vault locally and navigate to the Server folder under the PrivateArk install location.
- B. Log into the PVWA and go to the Reports tab.
- C. Access the System Safe from the PrivateArk client.
- D. Go to the Thirdparty log directory on the CPM

ANSWER: A C

QUESTION NO: 11

The Accounts Feed contains:

- A. Accounts that were discovered by CyberArk in the last 30 days
- B. Accounts that were discovered by CyberArk that have not yet been onboarded
- C. All accounts added to the vault in the last 30 days
- D. All users added to CyberArk in the last 30 days

ANSWER: A

QUESTION NO: 12

It is possible to restrict the time of day, or day of week that a verify process can occur

- A. TRUE
- B. FALSE

ANSWER: B

QUESTION NO: 13

Which of the following are secure options for storing the contents of the Operator CD, while still allowing the contents to be accessible upon a planned Vault restart? (Choose all that apply.)

- A. Store the CD in a physical safe and mount the CD every time vault maintenance is performed.
- B. Copy the entire contents of the CD to the System Safe on the vault.
- C. Copy the entire contents of the CD to a folder on the Vault Server and secure it with NTFS permissions.

D. Store the server key in a Hardware Security Module (HSM) and copy the reset the keys from the CD to a folder on the Vault Server and secure it with NTFS permissions.

ANSWER: C D

QUESTION NO: 14

Which of the following PTA detections require the deployment of a Network Sensor or installing the PTA Agent on the domain controller?

- A. Suspected credential theft
- B. Over-Pass-The-Hash
- C. Golden Ticket
- D. Unmanaged privileged access

ANSWER: B C

Explanation:

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PTA/What-Does-PTA-Detect.htm>

QUESTION NO: 15 - (DRAG DROP)

DRAG DROP

In version 10.7 the correct order of installation for components changed. Make the necessary corrections to the list below to show the new installation order.

Select and Place:

ANSWER: