

DUMPS ARENA

Dell Storage Networking Professional - version 2

Dell DC0-261

Version Demo

Total Demo Questions: 10

Total Premium Questions: 124

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Along with what software is the Navisphere Host Agent installed?

- A. PowerPath
- B. Navisphere Manager
- C. CLI
- D. AccessLogix

ANSWER: C**QUESTION NO: 2**

Which four are valid Fibre Channel port types? (Choose four.)

- A. P_Port
- B. FL_Port
- C. F_Port
- D. N_Port
- E. E_Port
- F. X_Port

ANSWER: B C D E**QUESTION NO: 3 - (DRAG DROP)**

DRAG DROP

Click the Task button. Place the steps for powering down a Dell / EMC storage array in the correct order.

Select and Place:

Place the steps for powering down a Dell / EMC storage array in the correct order.

Steps

- power down all DAEs
- stop I/O power down host servers
- power down switches
- power down DPE/SPE using the SPS switch

Order

place here
place here
place here
place here

First Second Third
Fourth

ANSWER:

Place the steps for powering down a Dell / EMC storage array in the correct order.

Steps

- power down all DAEs
- stop I/O power down host servers
- power down switches
- power down DPE/SPE using the SPS switch

Order

Third
First
Fourth
Second

Order

QUESTION NO: 4

You have a source LUN on a CX500 for which you maintain snapshots for tape backup. You need to create a new snapshot for this source LUN but are unable to do so.

You can create snapshots of other source LUNs on the array. What is the most likely problem?

- A. You have reached the maximum limit of 50 Cache LUNs.
- B. You have reached the maximum limit of 150 snapshots per storage system.

- C. You have reached the maximum limit of 300 snapshots per storage system.
- D. You have reached the maximum limit of 8 snapshots per source LUN.

ANSWER: D

QUESTION NO: 5

Which two are components of the CX500 Disk Processing Enclosure? (Choose two.)

- A. dual hot-swappable link control cards
- B. dual hot-swappable storage processors
- C. 15 hot-swappable 1-inch disk drives
- D. three hot-swappable power supply / cooling modules

ANSWER: B C

QUESTION NO: 6

Which three statements are correct about zoning with Brocade switches? (Choose three.)

- A. Zoning configuration information is stored on the hosts.
- B. Zone aliases are not required to define a zone.
- C. A zone can be included in more than one zone configuration.
- D. Each zone must be given a unique name.
- E. Each device can be included in only one zone.

ANSWER: B C D

QUESTION NO: 7

In Navisphere 6.x, a user adjusted the read and write cache size to appropriate levels on the Memory tab but failed to place any check marks on the Cache tab. Which best describes the result?

- A. Read and write cache is enabled by default from the factory and there is no way to adjust the settings.
- B. Read and write cache would not be enabled and performance issues could result.
- C. Read and write cache would be enabled.

- D. Read and write cache would not be enabled until the storage array is rebooted.
- E. Read and write cache would be enabled but the storage array would display a fault.

ANSWER: B

QUESTION NO: 8

Which two tasks can Navisphere Analyzer perform? (Choose two.)

- A. comparing archived and real-time performance data
- B. tracking performance trends for Dell / EMC switches
- C. tracking performance trends for hosts connected to Dell / EMC Storage Area Networks (SANs)
- D. tracking performance trends for Dell / EMC storage arrays

ANSWER: A D

QUESTION NO: 9

Which utility should you use to manage a QLogic Host Bus Adapter (HBA)?

- A. DataOntap
- B. Array Manager
- C. SANsurfer
- D. LightPulse

ANSWER: C

QUESTION NO: 10

Which statement is correct about switch ports?

- A. If a switch port is connected to an N_Port, it is configured as an arbitrated loop.
- B. If a switch port is connected to an FC-AL port, it acts as an F_Port.
- C. If the switch port is connected to another switch, it acts as an E_Port.
- D. If a universal port on a switch is connected to an N_Port, the universal port works as an FL_Port.

ANSWER: C