

# DUMPS ARENA

## HCS-Pre-sales-IP(Security)

Huawei H19-376

Version Demo

Total Demo Questions: 10

Total Premium Questions: 103

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

Huawei's new USG6306E AI firewall can provide the following interfaces at the same time.

- A. Gigabit electrical port
- B. 10GE interface
- C. Gigabit optical port
- D. 40GE interface

**ANSWER: A B C****QUESTION NO: 2**

What is the distribution number of Huawei FireHunter?

- A. 6300
- B. 6200
- C. 6100

**ANSWER: C****QUESTION NO: 3**

Which of the following can HRP monitor?

- A. ip-link
- B. Vlanif
- C. Physical interface
- D. Vlan
- E. bfd

**ANSWER: A B C E**

**QUESTION NO: 4**

Customize test duration when submitting tests manually on FireHunte

- A. True
- B. False

**ANSWER: A**

**QUESTION NO: 5**

Huawei Anti-Ddos ICMP Flood defense usually uses source detection to defend against

- A. True
- B. False

**ANSWER: B**

**QUESTION NO: 6**

The Huawei firewall dual-system hot backup function supports backup of the following information in the preparation machine:

- A. Server Map table
- B. Key configuration scripts
- C. Session table
- D. All configuration scripts

**ANSWER: A B C**

**QUESTION NO: 7**

After the static whitelist is configured, the firewall forwards the packets that match the whitelist.

- A. True

B. False

**ANSWER: A**

**QUESTION NO: 8**

ASG not only has the functions of a traditional firewall, but also functions such as user management and policy management.

A. True

B. False

**ANSWER: B**

**QUESTION NO: 9**

In the admission test project, if a normal test function test fails, what should I do?

A. Directly tell the customer that the product has a bug and the test fails

B. Strive for problem resolution time and test it with customers after the problem is resolved

C. Consult the mentor, whether the configuration is wrong and the corresponding precautions

D. Consult 400, whether the configuration is wrong and corresponding precautions

**ANSWER: B C D**

**QUESTION NO: 10**

Which interfaces are included in the NGFW logical interface?

A. LOOPBACK

B. VLANIF

C. NULL

D. ETH-TRUNK

E. Subinterface

ANSWER: A B C D