

DUMPS ARENA

Nokia Cloud Packet Core

Nokia 4A0-M05

Version Demo

Total Demo Questions: 10

Total Premium Questions: 56

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which of the following statements regarding CMM scaling is TRUE?

- A. DBS VMs can scale out in steps of a single VM.
- B. NECC VMs can scale out in steps of a single VM.
- C. CPPS VMs can scale out in steps of a single VM.
- D. IPDS VMs can scale out in steps of a single VM.

ANSWER: C**QUESTION NO: 2**

Which of the following statements describing the instantiation of a VM in OpenStack is CORRECT?

- A. Instantiation of a VM is always initiated through the Horizon GUI.
- B. The Neutron L3 agent uses libvirt on the hypervisor to instantiate and tear down VMs.
- C. A Radius server is used to verify whether a user has the required privileges to instantiate a VM.
The Nova scheduler selects the host on which the VM is to be instantiated.

ANSWER: B**QUESTION NO: 3**

Which of the following describes the 2N model for VM redundancy?

- A. There is one active VM and one standby VM that takes over if the active VM fails.
- B. There are N active VMs and a pool of standby VMs that can take over if one or more active VMs fail.
- C. There are N active VMs, each one paired with a standby VM that takes over if its active VM fails.
- D. There are 2N active VMs deployed to support a service that needs N active VMs, with extra capacity in case one or more VMs fail.

ANSWER: C

QUESTION NO: 4

Which of the following management tools performs the function of virtual infrastructure manager (VIM) in the CPC NFV architecture?

- A. NetAct
- B. CloudBand Infrastructure Software (CBIS)
- C. Operations Support System (OSS)
- D. Network Service Platform (NSP)

ANSWER: B**QUESTION NO: 5**

Which of the following provides the virtual hardware environment for the guest OS on a Linux system?

- A. libvirt
- B. QEMU
- C. virsh
- D. ESXi

ANSWER: B**QUESTION NO: 6**

Which of the following statements regarding CMM scaling is FALSE?

- A. PAPS VMs can scale in and scale out in steps of a single VM.
- B. CPPS VMs and DBS VMs can scale independently.
- C. DBS VMs can scale out in steps of a single VM.
- D. IPPS VMs can scale out in steps of a single VM.

ANSWER: A**QUESTION NO: 7**

Which of the following statements about interface redundancy with OVS is FALSE?

- A. OVS provides redundancy through a Linux bonded interface on the hypervisor.
- B. Guest VMs have two virtual NICs connected to OVS through a Linux bridge.
- C. Ethernet frames are sent between the redundant interfaces to verify connectivity.
- D. OVS connects to two physical ports connected to distinct leaf switches.

ANSWER: C

QUESTION NO: 8

Which of the following statements regarding CMM deployment is FALSE?

- A. Hyperthreading and CPU pinning are enabled.
- B. An anti-affinity rule is used to ensure NECC VMs are deployed on different servers.
- C. Two availability zones are required for a successful CMM deployment.
- D. SR-IOV and DPDK are used to accelerate packet processing.

ANSWER: D

QUESTION NO: 9

Which of the following statements regarding CMM log management is FALSE?

- A. VMs push logs to the Kafka pipeline.
- B. The event consumer in NECC retrieves the logs from Kafka.
- C. Various log files generated automatically in CMM.
- D. A log query can be created to retrieve logs from the database based on a time range.

ANSWER: B

QUESTION NO: 10

Which of the following Nokia products is responsible for the configuration, fault, and performance management of CMM?

- A. Network services platform (NSP)

- B. CloudBand application manager (CBAM)
- C. CloudBand network director (CBND)
- D. NetAct

ANSWER: A