

DUMPS ARENA

IBM Watson IoT Maximo Solution Architect V1

IBM C1000-047

Version Demo

Total Demo Questions: 10

Total Premium Questions: 61

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which two are required in Maximo Enterprise Asset Management (EAM) to manage an Item's condition?

- A. check the Condition Enabled box
- B. entering a commodity code
- C. entering condition codes
- D. checking the Add as Spare Part box
- E. checking the Inspect on Receipt box

ANSWER: B C

QUESTION NO: 2

Maximo for Nuclear Power supports best practice business processes by providing ready to use workflows based on?

- A. A Nuclear Regulatory Commission audit
- B. Standard Nuclear Process Model
- C. Workflows used by selected Maximo customers
- D. Maximo Best Practices

ANSWER: D

QUESTION NO: 3

Which statement is true regarding Maximo Organizations?

- A. Organizations can be linked to multiple Item Sets to facilitate item sharing.
- B. Multiple organizational business units can be managed in Maximo as long as all have the same Chart of Accounts.
- C. Multiple organizational business units can be managed in Maximo as long as they report in the same currency.
- D. Organizations with different General Ledger (GL) Account structures can be accommodated in the same Maximo Database.

ANSWER: C

QUESTION NO: 4

Which statement is true regarding uncertainty data for calibrations performed in Maximo for Life Sciences?

- A. Maximo for Life Sciences performs the uncertainty calculations and records the information in the job plan.
- B. Maximo for Life Sciences performs the uncertainty calculations, however the data is non-persistent and not recorded in Maximo.
- C. Maximo for Life Sciences does not provide for the recording of uncertainty data.
- D. Third party software is typically used for performing the uncertainty calculations, which are uploaded into Maximo for Life Sciences via batch process or integration.

ANSWER: B

QUESTION NO: 5

Which statement is true when working with Sites?

- A. Assets are at the Site level.
- B. Sites can have multiple holding locations.
- C. Each Organization must have a default Site.
- D. Sites can be shared across Organizations.

ANSWER: C

QUESTION NO: 6

Which two Maximo Enterprise Asset Management Security (EAM) Groups are available out of the box?

- A. EVERYONE
- B. MAXREGISTER

- C. MAXADMIN
- D. MAXDEFAULT
- E. MAXALLUSERS

ANSWER: B D

QUESTION NO: 7

Which three native functions are supported by Maximo Anywhere to allow the user advanced capabilities in the field?

- A. Camera support for barcodes
- B. Google Maps for GeoSpatial Location Services
- C. Bing Maps for GeoSpatial Location Services
- D. Bluetooth support for barcodes
- E. Fingerprint support for login assistance
- F. Camera support for attachments

ANSWER: B C E

QUESTION NO: 8

Which two Maximo Enterprise Asset Management (EAM) applications can the General Ledger (GL) Account Structure be modified?

- A. Database Configuration
- B. Organization
- C. Chart of Accounts
- D. Site
- E. Application Designer

ANSWER: B C

QUESTION NO: 9

What type of file would be modified and processed using the TDToolkit utility?

- A. xdiff
- B. docx
- C. pdf
- D. txt

ANSWER: A

QUESTION NO: 10

Which three entities can you connect a Maximo Asset Performance Management (APM) Mitigating Action?

- A. Work Order
- B. Item
- C. Routes D D. Asset
- D. Preventive Maintenance (PM)
- E. Job Plan

ANSWER: B D E