

DUMPS ARENA

SAP Certified Application Associate - SAP HANA 2.0 (SPS03)

SAP C HANAIMP 15

Version Demo

Total Demo Questions: 10

Total Premium Questions: 120

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

What are the components of a graph workspace? 2 correctas

- A. Edge
- B. Space
- C. Partition
- D. Vertex

ANSWER: A D

QUESTION NO: 2

How could you improve the performance of joins in cube calculation views? Note: these are 2 correct answers to this question.

- A. Avoid the use of referential joins
- B. Join on calculated columns
- C. Reduce the number of columns used in the join
- D. Specify the cardinality of the join

ANSWER: C D

QUESTION NO: 3

In a calculation view, where can you insert SQL code? Note: There are 3 correct answers to this question.

- A. Hierarchy
- B. Filter expression
- C. Calculated column expression
- D. Input parameter
- E. Currency conversion

ANSWER: B C D

QUESTION NO: 4

>> Textbox end

What can you identify using the performance Analysis Mode?

- A. Joins that are based on calculated columns
- B. Longest running query step
- C. Information about join cardinality
- D. Usage statistics of the calculation view

ANSWER: A C

QUESTION NO: 5

In a calculation view, which object type do you assign to a projection node to consume a Predictive Analysis Library (PAL) function?

- A. Table function
- B. Scalar function
- C. Input parameter
- D. Synonym

ANSWER: A

QUESTION NO: 6

Why might you use the Keep Flag property in an aggregation node?

- A. To cache the results of the aggregation node for drill-down
- B. To ensure that the aggregation behavior defined in the aggregation node for a measure CANNOT be overridden by a query
- C. To include columns that are not requested by a query but are essential For the correct result

D. To retain the correct aggregation behavior in stacked views.

ANSWER: C

QUESTION NO: 7


You join two tables using a referential join and set the cardinality to 1..n. What type of join is executed at runtime if your query does NOT request columns from the right table?

- A. Full outer join
- B. Left outer join
- C. Inner join
- D. Right outer join

ANSWER: C

QUESTION NO: 8

You want to map an input parameter of the calculation view A to the input parameter of calculation view B using the parameter mapping feature in the calculation view editor. However the input parameter of the calculation view B is not proposed to you as a source parameter. What might be the reason for this?



- A. Your source calculation view is of the type DEFAULT
- B. You selected the wrong parameter mapping TYPE
- C. You did not push the Auto Map button

D. You already mapped the input parameters in another calculation view

ANSWER: C

QUESTION NO: 9

Which of the following must you consider when you define namespaces in an SAP HANA database (HDB) module? There are 3 correct answers to this question.

- A. Two different objects can have the same name if they are assigned to different namespaces
- B. Modeling content should be created before the namespace rules have been defined
- C. A namespace is a mandatory component of the object identifier
- D. The namespace defined in a design-time object must match the namespace properties of the folder in which it is located
- E. Synonyms can have different namespaces

ANSWER: A C E

QUESTION NO: 10

Using a calculation view containing the projections shown in the graphic, how would you identify which companies sold products in January 2018 AND February 2018? Please choose the correct answer.

Projection Sales January 2018			Projection Sales February 2018		
Company	Product	Quantity	Company	Product	Quantity
001	x	10	001	x	10
002	y	7	002	y	7
003	x	10	004	x	10
005	y	8	005	y	8

- A. Use an left outer join
- B. Use a full outer join
- C. Use a union node
- D. User an intersect node

ANSWER: D