

# DUMPS ARENA

## Implementing Cisco Collaboration Cloud and Edge Solutions (300-820 CLCEI)

Cisco 300-820

Version Demo

Total Demo Questions: 10

Total Premium Questions: 93

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

sales@dumpsarena.co  
dumpsarena.co

## Topic Break Down

Topic	No. of Questions
Topic 1, Key Concepts	25
Topic 2, Initial Expressway Configurations	26
Topic 3, Mobile and Remote Access	19
Topic 4, Cisco WebEx Technologies	23
<b>Total</b>	<b>93</b>

**QUESTION NO: 1**

Which two statements about Expressway media traversal are true? (Choose two.)

- A. Expressway Control is the traversal server installed in the DMZ.
- B. The Expressway Edge must be put in a firewall DMZ segment.
- C. Cisco Unified Communications Manager zone can be either traversal server or client.
- D. The Unified Communications traversal zone can be used for Mobile and Remote Access.
- E. Both Expressway Edge interfaces can be NATed.

**ANSWER: B D**

**QUESTION NO: 2**

Which two statements about Cisco Webex Video Mesh Nodes are true? (Choose two.)

- A. When Expressway Core works with VMN clusters, Expressway Core decides which VMN is used for signaling/media connection.
- B. Cloud-registered devices choose a VMN cluster based on the lowest STUN round trip delay.
- C. The cascading traffic between VMN must bypass the firewall.
- D. When Cisco Unified Communications Manager works with multiple VMNs, Cisco Unified CM decides which VMN is used for signaling connection.
- E. A VMN can terminate a media connection while operating in maintenance mode.

**ANSWER: B D**

**QUESTION NO: 3**

`(\d{3}) (\d{3}) (\d{3}) (\d{3})`

Refer to the exhibit. Which two numbers match the regular expression? (Choose two.)

- A. d20d16d20d22



**ANSWER: B**

**QUESTION NO: 5**

Which two items are configured when deploying a B2B collaboration solution? (Choose two.)

- A. SIP trunk between Cisco Unified Communications Manager and Cisco Expressway-C
- B. search rules in Cisco Expressway-E
- C. SIP trunk between Cisco Unified Communications Manager and Cisco Expressway-E
- D. traversal client on a Cisco Expressway-E
- E. DNS zone on a Cisco Expressway-C

**ANSWER: A B**

**QUESTION NO: 6**

When an Expressway-E is configured for static NAT, which Session Description Protocol attribute is modified to reflect the NAT address?

- A. SDP b-line
- B. SIP record route
- C. SDP c-line
- D. SDP m-line

**ANSWER: C**

**QUESTION NO: 7**

With QoS enabled, which two statements about the Cisco Webex Video Mesh Node signaling and media traffic are true? (Choose two.)

- A. From VMN to CUCM SIP endpoints, the source UDP ports from 52500 to 62999 is used for audio traffic.
- B. From VMN to Webex Teams clients, the source UDP port 5004 is used for video traffic.
- C. From Webex cloud to VMN, the source UDP port 9000 is used for audio traffic.
- D. From VMN to video endpoints, the destination UDP port 5004 is used for audio traffic.
- E. From VMN to Webex cloud, the destination UDP port 9000 is used for video traffic.

**ANSWER: A B**

**QUESTION NO: 8**

Which describes what could be done on the Expressway-E to successfully route calls from Expressway-C on the internal network to the Internet?

- A. Application layer gateway could be enabled to bridge the media traffic.
- B. A static NAT route could be added to the firewall to bridge the two networks.
- C. The Expressway-E could be enabled for Dual-NIC capability.
- D. The Expressway-E could be enabled for interworking.

**ANSWER: C**

**QUESTION NO: 9**

A call is sent by Cisco UCM to Expressway with a URI of 75080001@expc1a.pod8.test.lab. If (7508... )@expc1a.pod8.test.lab.\* is the pattern string, what would be the replacement string of the transform in Expressway to re-write the call so that it becomes 75080001@conf.pod8.test.lab?

- A. \1@conf.pod8.test.lab.@
- B. \1@conf.pod8.test\lab.\*
- C. \1@conf.pod8.test\lab
- D. \1@conf.pod8.test.lab.!

**ANSWER: C**

**QUESTION NO: 10**

An Expressway-E is configured using a single NIC with NAT.

How must the Expressway-C traversal client zone be configured to connect to the Expressway-E?

- A. TLS verify must be enabled.
- B. The zone profile must be set to default.
- C. The peer address must be the Expressway-E NAT address.
- D. The peer address must be the Expressway-E LAN 1 IP address.

**ANSWER: C**