

# DUMPS ARENA

## ArcGIS Desktop Professional 19-001

Esri EADP19-001

Version Demo

Total Demo Questions: 10

Total Premium Questions: 93

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

When rematching geocoding results, a user notices that E St Is being interpreted as East St. How should a user resolve this Issue for future geocoding?

- A. remove the entry defining E to mean east In the geocoding XML files
- B. recreate the address locator with new reference data
- C. create a composite address locator where E is not recognized as east
- D. change E to east in the input table to be geocoded before geocoding

**ANSWER: C****QUESTION NO: 2**

A geosatabase designer has the following requirements regarding the display of city feature names in output map documents:

- The symbology needs to vary depending on city population size
- Names may not conflict with other text or features
- Rendering performance is a higher priority than database maintenance and editing simplicity Which design option should be used to meet these requirements?

- A. standard geodatabase annotation
- B. map annotation
- C. feature linked geodatabase annotation
- D. standard layer labeling

**ANSWER: B****QUESTION NO: 3**

Using the Spatial Analyst IDW (Inverse Distance Weighted) tool an ArcGIS user interpolates a point feature class to a raster. The user notices that some high point values near the edge of the feature class seem to have a dramatic effect on the output.

This occurs even in areas that are far from the high edge values

Which two parameters should the user consider changing in the IDW tool? (Choose two)

- A. z-value field

- B. search radius
- C. power
- D. output cell size
- E. weight

**ANSWER: D E**

#### QUESTION NO: 4

An ArcGIS user runs the Central Feature geoprocessing tool on a polygon feature class. The output feature is far north of the center of the feature class

Why Is the output feature off center of the feature class?

- A. There are more polygons In the northern part of the feature class
- B. The polygons in the northern part of the feature class are larger
- C. The feature class is not in the same promotion as the data frame
- D. A weight field is not specified

**ANSWER: D**

#### QUESTION NO: 5

An ArcGIS user runs a geo processing tool and wants to create code in the Python window that repeats the process. In which two ways can the user generate Python code from the results window? (Choose two)

- A. copy a tool as Python snippet and paste it into the Python window
- B. copy an environment setting value into the Python window
- C. copy and paste messages to the Python window
- D. drag a previously executed tool to the Python window

**ANSWER: A D**

#### QUESTION NO: 6

In the Feature Class to Feature Class tool which parameter allows an ArcGIS user to manipulate attributes to be included the output feature class table?

- A. input features

- B. SQL expression
- C. configuration Keyword
- D. field mapping

**ANSWER: D**

#### QUESTION NO: 7

An ArcGIS user finds consistently returned low matches for addresses which refer to "River" abbreviated as "RVER". In order to improve their matches the "RVER" abbreviation needs to be added to the xml file in the geocoding rule base.

Which two tools can be used to ensure these changes will be reflected before performing a new geocode? {Choose two}

- A. Geocode Addresses tool
- B. Create Address Locator tool
- C. Rematch Addresses tool
- D. Rebuild Address Locator tool
- E. Standardize Addresses tool

**ANSWER: B E**

#### QUESTION NO: 8

A water utility company had received calls from several customers complaining of low water pressure.

Using a geometric network representing the water network, how can an ArcGIS user determine the most likely location of the problem?

- A. place junction flags on each customer water meter and use the Find Common Ancestors trace task
- B. place junction flags on each customer water meter and use the Find Disconnected trace task
- C. place a junction barrier on each customer water meter and use the Trace Upstream trace task
- D. place a junction barrier on each customer water meter and use the Find Path upstream trace task

**ANSWER: A**

#### QUESTION NO: 9

An ArcGIS user is tasked with creating a map of the state of Utah displaying all the rivers for a conservation group. The conservation group is only interested in seeing rivers longer than 15 miles, where the longer rivers appear thicker using graduated symbols.

What are two ways the ArcGIS user can eliminate rivers less than 5 miles in length from appearing in the map? (Choose two)

- A. Build a label expression
- B. Built a data exclusion expression
- C. Build a definition query
- D. Build a layer expression

**ANSWER: B D**

#### QUESTION NO: 10

An ArcGIS user is working with a composite address locator that consists of the following:

- Citywide Address Locator
- Regional Address Locator
- Nationwide Address Locator

How does a composite address locator work if no selection criteria are specified? (Choose two)

- A. searches all locators in sequence
- B. searches the largest address locator first
- C. searches the smallest address locator first
- D. searches until an address is found
- E. searches the locator with the closest zone

**ANSWER: B D**