

# DUMPS ARENA

## Pega Certified Robotics System Architect (PCRSA) 80V1 2019

Pegasystems PEGAPCRSA80V1 2019

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

You are working on a team project with several other architects. Each architect is assigned to create activities for several applications. You are ready to add your HR adapter project to the controller project.

Which three steps are required to add the HR project to the main solution? (Choose three.)

- A. Create an activity to make a call to the HR project to log in to the application.
- B. Import the HR project to the controller project using the manage imported projects window.
- C. Update the controlling project's .Net framework property to match the HR adapter project.
- D. Add an existing project from the solution file using the solution explorer window.
- E. Add an assembly reference to the HR project from the controller project.

**ANSWER: A B E****QUESTION NO: 2**

In which two ways do the two publishers, Log4Net and File Publisher, differ? (Choose two.)


- A. Log4Net can provide a minimum number of log files to retain.
- B. Log4Net can append new data to the log file.
- C. Log4Net can set the log file size.
- D. Log4Net can change the directory location of the log file.

**ANSWER: A C****Explanation:**

Reference: <https://community1.pega.com/community/pega-support/question/pega-robotics-studio-8-generational-logging>


**QUESTION NO: 3**

You add a MessageDialog component to an automation. Based on the following image, which option shows the configuration settings that generates the message dialog?



- A.
- |   |  |
|---|--|
| <p><b>i</b> messageDialog2</p> <ul style="list-style-type: none"> <li>Show</li> <li>The account does not occur. ...</li> <li>caption</li> <li>Result</li> </ul> | <ul style="list-style-type: none"> <li><b>Appearance</b> <ul style="list-style-type: none"> <li>Buttons: YesNoCancel</li> <li>Caption</li> <li>DefaultButton: Button2</li> <li>Icon: Question</li> </ul> </li> <li><b>Behavior</b> <ul style="list-style-type: none"> <li>TopMost: True</li> </ul> </li> <li><b>Data</b></li> <li><b>Design</b> <ul style="list-style-type: none"> <li>(Name): messageDialog2</li> </ul> </li> </ul> |
|---|--|
- B.
- |   |  |
|---|--|
| <p><b>i</b> messageDialog2</p> <ul style="list-style-type: none"> <li>Show</li> <li>The account does not occur. ...</li> <li>No Account Exists</li> <li>Result</li> </ul> | <ul style="list-style-type: none"> <li><b>Appearance</b> <ul style="list-style-type: none"> <li>Buttons: YesNoCancel</li> <li>Caption</li> <li>DefaultButton: Button2</li> <li>Icon: Question</li> </ul> </li> <li><b>Behavior</b> <ul style="list-style-type: none"> <li>TopMost: True</li> </ul> </li> <li><b>Data</b></li> <li><b>Design</b> <ul style="list-style-type: none"> <li>(Name): messageDialog2</li> </ul> </li> </ul> |
|---|--|
- C.
- |   |  |
|---|--|
| <p><b>i</b> messageDialog2</p> <ul style="list-style-type: none"> <li>Show</li> <li>The account does not occur. ...</li> <li>No Account Exists</li> <li>Result</li> </ul> | <ul style="list-style-type: none"> <li><b>Appearance</b> <ul style="list-style-type: none"> <li>Buttons: YesNoCancel</li> <li>Caption</li> <li>DefaultButton: Button2</li> <li>Icon: None</li> </ul> </li> <li><b>Behavior</b> <ul style="list-style-type: none"> <li>TopMost: True</li> </ul> </li> <li><b>Data</b></li> <li><b>Design</b> <ul style="list-style-type: none"> <li>(Name): messageDialog2</li> </ul> </li> </ul> |
|---|--|

D.



The image shows a Java Swing dialog box and its corresponding Swing Inspector. The dialog box is titled "messageDialog2" and contains a "Show" button, a message "The account does not occur. ... No Account Exists", and a "Result" label. The Swing Inspector shows properties for "messageDialog2" including Appearance (Buttons: YesNoCancel, Caption, DefaultButton: Button1, Icon: Question), Behavior (TopMost: True), Data (Message), and Design ((Name): messageDialog2).

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**ANSWER: D**

#### QUESTION NO: 4

There are two basic types of automations: events and procedures. Which three statements describe a procedure automation? (Choose three.)

- A. It performs business logic and may interact with applications.
- B. It is triggered by a user or application action.
- C. It may contain more than one starting block.
- D. It contains an entry point and should contain at least one exit point.
- E. It should return a string value for messaging.

**ANSWER: C D E**

#### QUESTION NO: 5

In a Java application, you click a button to load a grid. The grid loads as a separate process under the Java application. Which property allows you to interrogate the grid?

- A. IgnoreMainBrowser
- B. TargetPath

- C. EnableMatchInProcess
- D. HookChildProcesses

**ANSWER: D**

**Explanation:**

Reference: [http://help.openspan.com/52/Adapters\\_Interrogation/How\\_to\\_Add\\_a\\_Win32\\_Adapter.htm](http://help.openspan.com/52/Adapters_Interrogation/How_to_Add_a_Win32_Adapter.htm)

### QUESTION NO: 6

Which of the following controls cannot be added to the Windows form?

- A. ComboBox
- B. ProgressBar
- C. Pointer
- D. PictureBox

**ANSWER: C**

### QUESTION NO: 7

Your Pega Robot Manager indicates that one of your robots has an unhealthy status and has failed several assignments.

What is the first step in troubleshooting an unhealthy robot?

- A. Open the Developer Toolbar and use the Tracer to review a log of all the robot's actions.
- B. Modify the File Publisher Diagnostics settings to review a studio log of all the robot's actions.
- C. Open the Developer Toolbar and use the Clipboard tool to review the data available in the pyWorkPage.
- D. Confirm that the File Publisher Diagnostics settings are enabled and review a run-time log of all the robot's actions.

**ANSWER: B**

### QUESTION NO: 8

Lines in the RuntimeLog containing the text "ExecutionLink From:" refer specifically to what item from your solution?

- A. Blue data lines

- B. Automation entry points
- C. Automation execution threads
- D. Yellow execution lines

**ANSWER: D**

**Explanation:**

Reference: <https://community1.pega.com/community/product-support/question/reading-runtime-logs-how>

**QUESTION NO: 9 - (DRAG DROP)**

DRAG DROP When interrogating a Windows control, the drag and drop Default interrogation method does not work. You decide to use the Create Control option to interrogate the control.

From the Interrogation Steps list, move all of the options to the Ordered Interrogation Steps column and place them in the correct order.

**Select and Place:**

### Interrogation Steps

- On the application's designer tab, select the **Windows** tab.
- Navigate to the window containing the control.
- Click **List Windows**.
- Confirm the control using **Highlight**.
- Expand the windows to locate the control.
- Select **Create Control** from the right-click menu.

### Ordered Interrogation Steps

- 
- 
- 
- 
- 
- 

ANSWER:

## Interrogation Steps

On the application's designer tab, select the **Windows** tab.

Navigate to the window containing the control.

Click **List Windows**.

Confirm the control using **Highlight**.

Expand the windows to locate the control.

Select **Create Control** from the right-click menu.

## Ordered Interrogation Steps

Navigate to the window containing the control.

On the application's designer tab, select the **Windows** tab.

Expand the windows to locate the control.

Confirm the control using **Highlight**.

Click **List Windows**.

Select **Create Control** from the right-click menu.

**Explanation:**

### QUESTION NO: 10

A solution design document outlines several projects for the solution. You are assigned to the Loan Servicing project (LoanSvcPrj). The project uses the Interaction Framework function to communicate with the other projects.

Which three toolbox project items do you add to LoanSvcPrj? (Choose three.)

- A. Message Manifest
- B. Interaction.xml
- C. Interaction Manager
- D. Activity
- E. String Variable

**ANSWER: B D E**