

DUMPS ARENA

Professional VMware vRealize Automation 7.6

VMware 2V0-31.19

Version Demo

Total Demo Questions: 10

Total Premium Questions: 76

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

In order to use an Active Directory user as a managed item in vRealize Automation, what must be created first?

- A. A customer resource that maps to an Active Directory user object (AD:User)
- B. A customer resource that maps to an Active Directory domain controller (AD:DC)
- C. A resource action to add an Active Directory user object (AD:User)
- D. A resource action to add an Active Directory domain controller (AD:DC)

ANSWER: C**QUESTION NO: 2**

What is the role of the Proxy Agent?

- A. Communicate with hypervisor endpoints
- B. Communicate with hypervisor and cloud endpoints
- C. Communicate with cloud endpoints
- D. Communicate with vCenter endpoints

ANSWER: A**Explanation:**

: [https://docs.vmware.com/en/VMware-Validated-](https://docs.vmware.com/en/VMware-Validated-Design/4.2/com.vmware.vvd.sddc-design.doc/GUID-6158120D-C982-4F27-B1D3-4BCB46254FCF.html)

[Design/4.2/com.vmware.vvd.sddc-design.doc/GUID-6158120D-C982-4F27-B1D3-](https://docs.vmware.com/en/VMware-Validated-Design/4.2/com.vmware.vvd.sddc-design.doc/GUID-6158120D-C982-4F27-B1D3-4BCB46254FCF.html)

[4BCB46254FCF.html](https://docs.vmware.com/en/VMware-Validated-Design/4.2/com.vmware.vvd.sddc-design.doc/GUID-6158120D-C982-4F27-B1D3-4BCB46254FCF.html)

The vRealize Automation IaaS Proxy Agent is a Windows service used to communicate with specific infrastructure endpoints. In this design, the vSphere Proxy agent is utilized to communicate with vCenter.

QUESTION NO: 3

Which two methods can be used to ensure users enter a valid value in custom forms?

(Choose two.)

- A. Use constraints with predefined values in the form.
- B. Use an image field in the form.
- C. Use external validation (such as with vRealize Orchestrator) in the form.
- D. Use a text field in the form.
- E. Use a bind variable in the form.

ANSWER: A C

Explanation:

Reference: [https://docs.vmware.com/en/vRealize-](https://docs.vmware.com/en/vRealize-Automation/7.4/com.vmware.vra.prepare.use.doc/GUID-EC796A7F-545E-46CF-B560-2B4B7F00552A.html)

[Automation/7.4/com.vmware.vra.prepare.use.doc/GUID-EC796A7F-545E-46CF-B560-2B4B7F00552A.html](https://docs.vmware.com/en/vRealize-Automation/7.4/com.vmware.vra.prepare.use.doc/GUID-EC796A7F-545E-46CF-B560-2B4B7F00552A.html)

QUESTION NO: 4

What are two use cases for configuring a third-party identity provider for a directory in vRealize Automation? (Choose two.)

- A. Creating a Just-in-Time User Provisioning directory
- B. Configuring SecureID
- C. Using a SAML 2.0 compliant point of authentication, such as Active Directory Federation Services
- D. Configuring RADIUS
- E. Using Smart Card Authentication

ANSWER: A C

QUESTION NO: 5

A vRealize Automation IaaS administrator needs to create an association between vSphere and NSX endpoints.

What are two possible associations that can be created? (Choose two.)

- A. Multiple NSX-T endpoints associated with multiple vSphere endpoints
- B. One vSphere endpoint associated with a single NSX for vSphere endpoint
- C. One vSphere endpoint associated with multiple NSX-T endpoints

- D. One NSX for vSphere endpoint associated with multiple vSphere endpoints
- E. One vSphere endpoint associated with both an NSX-T and NSX vSphere edge router endpoints simultaneously

ANSWER: B C

Explanation:

: [https://docs.vmware.com/en/vRealize-](https://docs.vmware.com/en/vRealize-Automation/7.6/com.vmware.vra.prepare.use.doc/GUID-3051E04E-C809-4E29-A3BF51053BB2D7BC.html)

[Automation/7.6/com.vmware.vra.prepare.use.doc/GUID-3051E04E-C809-4E29-A3BF51053BB2D7BC.html](https://docs.vmware.com/en/vRealize-Automation/7.6/com.vmware.vra.prepare.use.doc/GUID-3051E04E-C809-4E29-A3BF51053BB2D7BC.html)

QUESTION NO: 6

A vRealize Automation administrator notices that when requesting a specific blueprint, machines are provisioned to different compute resources.

Which two tasks should the administrator complete to ensure that the machines provisioned from the blueprint are always placed on the same compute resource? (Choose two.)

- A. Create a new reservation and assign it to a business group.
- B. Assign a reservation to a compute resource.
- C. Create a new fabric group.
- D. Assign a reservation policy to the blueprint.
- E. Create a reservation policy and assign it to a single reservation.

ANSWER: D E

QUESTION NO: 7

A vRealize Automation administrator wants to run a vRealize Orchestrator workflow immediately after a virtual machine has been given an IP address by using a vSphere customization specification configured in a blueprint.

Which event subscription machine provisioning state should the administrator use to achieve this?

- A. CloneWorkflow.CustomizeMachine
- B. VMPSMasterWorkflow32.MachineActivated
- C. CloneWorkflow.CustomizeOS
- D. VMPSMasterWorkflow32.RegisterMachine

ANSWER: D

QUESTION NO: 8

What is a specific instance of a completed or running workflow called?

- A. Workflow event
- B. Workflow token
- C. Workflow attribute
- D. Workflow status

ANSWER: B

QUESTION NO: 9

Which two types of entities can be a part of a vRealize Orchestrator package? (Choose two.)

- A. Policy templates
- B. Inventory
- C. Configurations
- D. Logs
- E. Scripting elements

ANSWER: A B

QUESTION NO: 10

What can be used in custom forms to prevent a user from entering too large a value (such as too much memory for a virtual machine)?

- A. Constraints for a field
- B. Regular expression for a field
- C. Quotas for a field
- D. Limitations for a field

ANSWER: A