

# DUMPS ARENA

## IBM Spectrum Protect V8.1.8 Technical Specialist

IBM C1000-051

Version Demo

Total Demo Questions: 10

Total Premium Questions: 67

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

Why is there a need for at least two simultaneous volume mounts per reclamation process and two drives if the device type is not FILE?

- A. To allow the multiplexing of data to the volumes while running reclamation.
- B. One of the drives is for the data and the other one is for the metadata.
- C. At least two drives are used to make sure there is no data loss during reclamation.
- D. One of the drives is for the input volume and the other one is for the output volume.

**ANSWER: A****QUESTION NO: 2**

What are two IBM Spectrum Protect components?

- A. Admin Center
- B. Db2 Database
- C. Operations Center
- D. Oracle Database
- E. Policy Class

**ANSWER: B E****QUESTION NO: 3**

When is compression performed on an IBM Spectrum Protect directory container storage pool?

- A. before data is ingested
- B. inline as data is ingested
- C. outline as data is ingested
- D. after data is ingested

**ANSWER: B**

**QUESTION NO: 4**

Which two types of storage pools can be reclaimed?

- A. file pools
- B. tape pools
- C. disk pools
- D. on premises pools
- E. directory container pools

**ANSWER: B E**

**QUESTION NO: 5**

By which name is the IBM Spectrum Protect process of obtaining data from a backup known?

- A. review
- B. recover
- C. restore
- D. retrieve

**ANSWER: C**

**QUESTION NO: 6**

Which two statements are true about having multiple hub servers?

- A. Each hub server can have a maximum of 5 different spoke servers.
- B. Each hub server requires a separate instance of the Operations Center.
- C. Each spoke server can be assigned to multiple hub servers.
- D. Multiple hub servers can be accessed using the same instance of the Operations Center.

E. A single server cannot be both a hub server and a spoke server.

**ANSWER: A E**

**QUESTION NO: 7**

Which three components are required to restore an IBM Spectrum Protect Server database?

- A. devlist
- B. volconfig
- C. dbhist
- D. dbbackup
- E. volhist
- F. devconfig

**ANSWER: B D F**

**QUESTION NO: 8**

Why is storage pool backup beneficial in IBM Spectrum Protect?

- A. It protects against disasters such as a data center loss or a media failure.
- B. It protects against corruption of the IBM Spectrum Protect database directories.
- C. It prevents unauthorized access to backup and archive objects.
- D. It eliminates the need for clients to make extra backup versions of their files.

**ANSWER: A**

**QUESTION NO: 9**

When protecting a local filesystem with over a million objects and less than 30% rate of changed objects, which IBM Spectrum Protect backup method makes the process faster?

- A. selective backup with journal

- B. differential backup
- C. incremental backup with journal
- D. full backup

**ANSWER: B**

**QUESTION NO: 10**

Which two options can be defined in the IBM Spectrum Protect management class in terms of incremental backups ?

- A. how much space the backup will use on the storage pool
- B. which user is allowed to initiate incremental backups
- C. which files are new files in the backup
- D. whether a file should be skipped if it changed during backup
- E. how frequently a file can be backed up

**ANSWER: A B**