

# DUMPS ARENA

## Avaya Converged Platform Integration Exam

Avaya 75940X

Version Demo

Total Demo Questions: 10

Total Premium Questions: 64

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

Aside from the difference in the depth of the enclosure, what other difference is there between the 48 Inch Model and 42 Inch Model of the ACP 4200 Avaya-branded Enclosure?

- A. There is no other difference between the 48 Inch Model and 42 Inch Model.
- B. The 48 Inch Model has a higher maximum wattage capacity compared to the 42 Inch Model.
- C. The 48 Inch Model has a higher maximum weight compared to the 42 Inch Model.
- D. The 48 Inch Model is only available in Grey while the 42 Inch Model is only available in Black.

**ANSWER: B****Explanation:**

Reference <https://downloads.avaya.com/css/P8/documents/101054952> (15)

**QUESTION NO: 2**

Which three tasks must be performed by the ACP 4200 implementation team at the customer site? (Choose three.)

- A. Connect the network switches to the customer network.
- B. Assign IP addresses to the existing Virtual Machines.
- C. Connect to the VMware vCenter Server Appliance and power up the virtual machines.
- D. Fill up the IP template.
- E. Install a ground connection for each enclosure.

**ANSWER: A D E****QUESTION NO: 3**

The customer's networking team is considering connectivity options to the ACP 4200.

When would the ACP 4200 use Fabric Connect for network connectivity to the customer network?

- A. When the customer network uses stackable switches.
- B. When the customer network uses routers or switches that have an integrated switch fabric.

- C. When the customer network uses Extreme Networks VSP switches.
- D. When the customer network uses Cisco routers with VRRP.

**ANSWER: C**

#### **QUESTION NO: 4**

In which two situations does the Customer and Network Lifecycle workbook need to be updated? (Choose two.)

- A. On the 31st of January every year, even if no changes have been made to the ACP 4200.
- B. When an ACP 4200 component password is changed.
- C. When a new Administrator is given access to the ACP 4200.
- D. When a new host server is added to the ACP 4200.

**ANSWER: B D**

#### **QUESTION NO: 5**

Which statement about the Nimble Storage used in ACP 4200 4.0 is true?

- A. It is connected directly to the ESXi hosts via multiple 10G links.
- B. It is connected directly to the ESXi hosts via multiple 1G links.
- C. It is connected to the network switches via multiple 10G links.
- D. It is connected to the network switches via multiple 40G links.

**ANSWER: C**

#### **QUESTION NO: 6**

Which two are valid levels of VMware performance monitoring? (Choose two.)

- A. Visualization Performance and Fault Manager (VPFM)
- B. Virtual Machine (VM)
- C. Data Center (DC)

D. Host

**ANSWER: B D**

#### QUESTION NO: 7

An Avaya Orchestrator administrator is asked to check the CPU usage for the last 24 hours of one of the ESXi Hosts, as it has been performing erratically.

How can the administrator go about doing this?

- A. By clicking on the Compute Group's Service State line.
- B. By navigating to Quick View – All Host Problems.
- C. By going to the Performance Graphs of the CPU Usage Service for the host.
- D. By selecting the VM Group's Service State line.

**ANSWER: A**

#### QUESTION NO: 8

Which two statements about the HP Nimble storage systems used in ACP 4200 are true? (Choose two.)

- A. ACP 4200 may use the HP Nimble 33 Base unit with up to 2 Expansion units.
- B. ACP 4200 may use the HP Nimble 16 Base unit with up to 5 Expansion units.
- C. ACP 4200 may use the HP Nimble 16 Base unit with up to 2 Expansion units.
- D. ACP 4200 may use the HP Nimble 33 Base unit with up to 5 Expansion units.

**ANSWER: A B**

#### QUESTION NO: 9

Refer to the exhibit.

AVAYA Orchestrator [Home](#) [Dashboards](#) [Reports](#) [ACP Configuration Wizard](#) [Help](#) [Admin](#)

Configuration Wizard: Avaya Converged Platform configuration - Step 2

ACP "AL\_ACP", rack "AL\_ACP\_RACK"

< Back Next >

Detect Hardware Link Import Export

Slot	Device Description	Serial No	IP Address	Protocols
Orientation: Vertical				
V1			IP Address	SNMP v2 Port Community string
V2			IP Address	SNMP v2 Port Community string
V3			IP Address	SNMP v2 Port Community string
V4			IP Address	SNMP v2 Port Community string
V5			IP Address	SNMP v2 Port Community string

An administrator is trying to add a new VSP to the ACP 4200 rack. However, when the Configuration Wizard is run and the 'Detect Hardware' button is clicked, the VSP cannot be detected.

What is potentially causing this to happen?

- A. The VSP has not been configured with the correct slot in Configuration Wizard.
- B. The VSP has not been configured with the correct Device Description in Configuration Wizard.
- C. The VSP has not been configured with the correct Protocol in Configuration Wizard.
- D. The VSP's device credentials has not been configured correctly in System Manager.

**ANSWER: D**

#### QUESTION NO: 10

The Storage dashlet contains a view of the status of the Host and Services related to the Storage.

By default, in which two places can this dashlet be viewed in Avaya Orchestrator? (Choose two.)

- A. The Service Status View
- B. The Home Dashboard
- C. The Host Status View
- D. The Storage Dashboard
- E. The Rack View

**ANSWER: A B**