

# DUMPS ARENA

## Aruba Certified Mobility Associate Exam

HP HPE6-A70

Version Demo

Total Demo Questions: 10

Total Premium Questions: 131

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

## QUESTION NO: 1

Refer to the exhibit.

```
(MM) ^[mynode] #show airmatch solution

Seq  Time          Aps  [5GHz] Radios Cost Conflict Deploy  [2GHz] Radios Cost Conflict Deploy Type
-----
#2  20161230_05:04:51  1      1  1.0    0.0 No      1  4.0    0.0 No      Scheduled
#1  20161228_12:45:24  1      1  1.0    0.0 Yes     1  4.0    0.0 Yes     Incremental - Auto

(MM) [mynode] #show airmatch solution 2

# 20161230_05:04:51 Scheduled
# 5GHz capacity/network cost/solution cost/improvement: 4.0/1.0/1.0/0.0%
# 2.4GHz capacity/network cost/solution cost/improvement: 1.0/4.0/4.0/0.0%
# Band Radio          Mode Chan  CBW    EIRP (dBm)  APName
5GHz 70:3a:0e:59:81:30 AP    157i  80.      18.  EastAP
2GHz 70:3a:0e:59:81:20 AP     1i   20*      9.  EastAP

[*] regarded frozen | [.] no change | [i] channel ignored because insufficient quality increase
```

An Aruba solution uses AirMatch with the default AirMatch profile settings. A network administrator sees that a scheduled optimization was completed, but a plan was not deployed.

Based on the exhibit, why did this occur?

- A. The cost of the new plan exceeds the amount allowed by the feature license
- B. The new plan did not offer significantly improved quality
- C. The solution uses master-local mode
- D. ARM is disabled in the radio profile, so AP radios are considered frozen

**ANSWER: B**

## QUESTION NO: 2

A company plans to deploy a Mobility Master (MM). The MM will manage 50 Mobility Controller (MC) appliances that will control a total of 680 APs, and 10 Virtual Mobility

Controllers (VMCs) that will control a total of 160 APs.

How many MM licenses does the company require?

- A. 60
- B. 210
- C. 900
- D. 960

**ANSWER: C****Explanation:**

:

Starting with ArubaOS 8.0.1, the MM license is required to terminate devices (controllers or

APs) on Mobility Master. If the Mobility Master does not have sufficient MM licenses and an AP fails to obtain a license, that AP can get an IP address and connect to its controller, but will not broadcast an SSID.

**QUESTION NO: 3**

Which feature is unique to 802.11ac Wave 2 access points?

- A. band steering
- B. multiple spatial streams
- C. 40MHz channel bonding
- D. multi-user MIMO (MU-MIMO)

**ANSWER: D****QUESTION NO: 4**

When an Aruba solution uses AirMatch, which device generates the channel and power plan for an AP?

- A. the AirWave Management Platform
- B. the Mobility Master (MM)
- C. the Mobility Controller (MC) for the AP
- D. the AP itself

**ANSWER: B****QUESTION NO: 5**

A company has an Aruba Mobility Master (MM)-based solution with a WLAN that assigns users to VLANs 10–19. The company wants the Aruba solution to act at Layer 3 to route wireless user traffic.

What must network administrators configure to permit the solution to forward traffic correctly?

- A. VLAN 10–19 interfaces and proper IP settings on the MM nodes
- B. trunk ports that support VLANs 10–19 on the managed Mobility Controllers (MCs)
- C. VLAN 10–19 interfaces on the Mobility Controllers (MCs) as the default gateway for wireless users
- D. trunk ports that support VLANs 10-19 on the MM nodes

**ANSWER: C**

#### QUESTION NO: 6

What is an advantage for a network administrator to use AirWave over a Mobility Master (MM)?

- A. ability to gather and analyze historical user data, and monitor client association and network usage trends
- B. scans wireless client settings and brings those settings in compliance with corporate security policies.
- C. ability to monitor and manage a Mobility Controller (MC) to configure the WLAN
- D. provides realtime firewall hits for client network troubleshooting

**ANSWER: A**

#### QUESTION NO: 7

What is a requirement for the Dashboard > Traffic Analysis window on the Aruba Mobility Master (MM) to show data?

- A. Airmatch and ClientMatch must be enabled.
- B. The solution must have active PEFNG licenses.
- C. Firewall policies must include application filtering rules.
- D. WLANs must use the decrypt-tunnel forwarding option.

**ANSWER: B**

#### QUESTION NO: 8

What is a valid way to deploy an Aruba Mobility Master (MM)?

- A. as a subscription-based service through the Aruba cloud
- B. as a role on a Mobility Controller 7030 that is deployed as a standalone controller
- C. as a virtual appliance on a server that meets the recommended hardware requirements
- D. as a role on a Mobility Controller 7240 that is deployed as a master controller

**ANSWER: C**

**QUESTION NO: 9**

A company has many 7220 controllers in its Aruba wireless architecture. A network administrator wants to use the Traffic Analysis dashboard in order to monitor which type of applications is being used by wireless users.

What is required for this implementation?

- A. Airmatch and ClientMatch must be enabled.
- B. The solution must have active PEFNG licenses.
- C. Firewall policies must include application filtering rules.
- D. WLANs must use the decrypt-tunnel forwarding option.

**ANSWER: B**

**QUESTION NO: 10**

Which settings can a Mobility Master (MM) deploy to Mobility Controllers (MCs) but master controllers CANNOT deploy to local controllers?

- A. radio profiles
- B. WLAN settings
- C. Interface settings
- D. AAA profiles

**ANSWER: C**