

DUMPS ARENA

**Specialist-System Administrator, RecoverPoint
Version 2.0**

EMC E20-575

Version Demo

Total Demo Questions: 10

Total Premium Questions: 66

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

**sales@dumpsarena.co
dumpsarena.co**

QUESTION NO: 1

A database team is performing tests against a PIT copy data. Their write activity is going to exceed the currently allocated amount of space dedicated to Image Access mode. What should be done to allow testing to continue without disruption to their testing?

- A.** Navigate to Protection> Manage Protection> Select the CG from the list and select the copy. Click Edit Journal, and add one or more additional Journal volumes.
- B.** Expand the Journal volume using native array tools. Navigate to Protection>Manage Protection>Select the CG from the list and select the copy. Click Edit Journal, and then select "Expand Journal".
- C.** Navigate to Protection> Manage Protection>Select the CG from the list and select the copy. Click Edit, and then increase the reserved image access percentage from 20%.
- D.** Use the `config_copy_group= copy= policy image_access_log_size=` CLI command

ANSWER: D**QUESTION NO: 2**

A RecoverPoint administrator needs to add a local copy to three existing Consistency Groups. The RecoverPoint system currently contains 100 Consistency Groups. Each group has one remote copy with 80 replication sets. Each cluster contains eight physical RPAs.

However, the administrator is unable to add all the local copies. What is a cause for this issue?

- A.** Consistency Group copy cannot have 1024 volumes within the copy
- B.** Cluster has the maximum number of RPAs and cannot be expanded
- C.** Addition of the local volumes will exceed the 16K volume limit per cluster
- D.** RecoverPoint system needs to be converted to a RP/EX system to support the extra volumes

ANSWER: A**QUESTION NO: 3**

What is a possible option to store the "Collect System Information" file using RecoverPoint Unisphere?

- A.** FTP server configured on the RPA cluster
- B.** External temporary FTP server
- C.** Local RPA
- D.** Syslog server

ANSWER: A

QUESTION NO: 4

A RecoverPoint system has been deployed with XtremIO at production and disaster recovery sites. What is an accurate statement, if the replication mode for a Consistency Group has been set as "Continuous"?

- A. Effective RPO will be 0 seconds
- B. Set customized time between cycles
- C. Effective RPO can be <60 seconds
- D. Set minimum time between cycles

ANSWER: D

QUESTION NO: 5

Which attributes can affect the Distribution phase of Consistency Groups?

- A. Copy location, WAN bandwidth, and replication type
- B. Change rate of the applications and number of replication sets
- C. Journal volume performance, storage array performance, and copy volume performance
- D. Compression and deduplication settings of the Consistency Group

ANSWER: A

QUESTION NO: 6

Which EMC product integrates with RecoverPoint to provide application-driven point-in-time copies?

- A. ProtectPoint
- B. ViPR SRM
- C. Data Domain
- D. AppSync

ANSWER: C

QUESTION NO: 7

What is the result of configuring the I/O throttling level to “low”?

- A.** Limit the data parallelism and I/O parallelism of all RPAs in a RecoverPoint cluster to a maximum read rate of 10 MB/s
- B.** Limit the data parallelism and I/O parallelism on the particular RPA where the setting will permit a maximum read rate of 200 MB/s
- C.** Limit the data parallelism and I/O parallelism of all RPAs in a RecoverPoint cluster to a maximum read rate of 200 MB/s
- D.** Limit the data parallelism and I/O parallelism on the particular RPA where the setting will permit a maximum read rate of 10 MB/s

ANSWER: A

QUESTION NO: 8

After creating a Consistency Group with a local copy, initialization is taking longer than expected. What is a possible reason for this condition?

- A.** Limited WAN bandwidth is available to the RPAs
- B.** Slow performing storage on the production array
- C.** Copy is not attached to the same splitter as production
- D.** Size mismatch between the production and the copy volumes

ANSWER: B

QUESTION NO: 9

Which factor affects the time it takes a Consistency Group to complete the first-time initialization?

- A.** Performance of the Journal volumes at the remote copy
- B.** Number of RPAs at the remote copy cluster
- C.** Distance between the production and remote copy clusters
- D.** Number of RPAs at the production cluster

ANSWER: D

QUESTION NO: 10

A storage administrator is selecting Test a Copy to enable an Image Access for an XtremIO-to-XtremIO Consistency Group. Why is Logged Access the only allowable access mode with this type of replication?

- A.** Direct Access is not possible because the copy cannot be mounted on XtremIO

- B. XtremIO cannot process the changes to the Journal required for Virtual Access
- C. XtremIO snapshots are not host accessible when using RecoverPoint
- D. XtremIO uses snapshots which are instantly promoted as the SCSI personality of the copy

ANSWER: D