

# DUMPS ARENA

**American Academy of Cosmetic Dentistry**

**Test Prep AACD**

**Version Demo**

**Total Demo Questions: 10**

**Total Premium Questions: 147**

**Buy Premium PDF**

**<https://dumpsarena.co>**

**[sales@dumpsarena.co](mailto:sales@dumpsarena.co)**

**sales@dumpsarena.co**  
**dumpsarena.co**

**QUESTION NO: 1**

How can the undesirable effects of polymerization shrinkage be managed?

- A. By applying liners and bases in deep cavity preparations
- B. By increasing light intensity from the curing light
- C. By reducing the number of increments of composites
- D. By using composites with a lower percentage of inorganic filler

**ANSWER: C****QUESTION NO: 2**

Following tray bleaching, the recommended delay before initiating composite bonding is how long?

- A. Three days
- B. One week
- C. One month
- D. Six weeks

**ANSWER: B**

**Explanation:**

References:

**QUESTION NO: 3**

The main advantage of all-ceramic crowns over PFMs is:

- A. Better bond strength to tooth structure.
- B. Less reduction of tooth structure.
- C. Increased light transmission deeper into the crown.
- D. Lower laboratory costs.

**ANSWER: A**

**QUESTION NO: 4**

Which of the following can aid in reliably achieving centric relation?

- A. Stereographic tracing
- B. Posterior retruded positioning
- C. Bilateral manipulation
- D. Trisected angle gnathologic recording

**ANSWER: C**

**QUESTION NO: 5**

Facial midlines coincide with dental midlines in approximately what percentage of people?

- A. 30%
- B. 50%
- C. 70%
- D. 90%

**ANSWER: C**

**Explanation:**

References:

**QUESTION NO: 6**

In esthetics, the value of a tooth depends upon which of the following?

- A. Density of the hue
- B. Intensity of the color
- C. Metamerism of the basic color
- D. Light reflection or light absorption

**ANSWER: D**

**QUESTION NO: 7**

In occlusal equilibration, which of the following BEST describes the proper considerations for treatment?

- A. Correct the anterior guidance prior to eliminating interferences to centric relation
- B. Eliminate interferences to centric relation prior to any correction of anterior guidance
- C. Flatten posterior inclines to allow for bilateral balancing of excursive forces
- D. Reduce posterior cusps prior to reshaping fossa

**ANSWER: B**

**QUESTION NO: 8**

Which of the following is the BEST protocol for repairing a small porcelain fracture?

- A. Place a shoulder or deep chamfer around the fractured area
- B. Silanate the porcelain
- C. Polish the fractured surface
- D. Etch the porcelain with phosphoric acid

**ANSWER: C**

**QUESTION NO: 9**

A white opacity near the incisal one-third of a permanent incisor is MOST likely the result of what?

- A. Ingestion of excessive fluoride by the patient's mother during pregnancy
- B. Ingestion of excessive fluoride by the patient at the age of 1 - 3 years
- C. Antibiotic therapy by mother during pregnancy
- D. Trauma or infection of the patient's deciduous incisor

**ANSWER: D**

**QUESTION NO: 10**

Overtime, dentin bonding when compared to enamel bonding exhibits which of the following?

- A. Both enamel and dentin bond strengths remain the same overtime
- B. Dentin bond strength tends to grow stronger over time
- C. Dentin bond strength tends to decrease, while the enamel bond strength remains the same
- D. Enamel bond strength tends to decrease, while the dentin bond strength remains the same

**ANSWER: C**