

# DUMPS ARENA

## Check Point Certified Maestro Expert

Checkpoint 156-835

Version Demo

Total Demo Questions: 10

Total Premium Questions: 64

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

How many power supplies are presented on MHO-140?

- A. 2
- B. 4
- C. 1
- D. 1 with option for 2

**ANSWER: A**

**QUESTION NO: 2**

What cannot be a reason for DETACHED status of Appliance when running asg monitor command?

- A. Appliance reboots
- B. Appliance is a member of Security Group, but currently disconnected
- C. Appliance installed with R80.20
- D. There's an issue with Downlink cable

**ANSWER: C**

**QUESTION NO: 3**

Orchestrator should be defined in SmartConsole as:

- A. Orchestrator is not defined in SmartConsole
- B. Check Point host
- C. Security Gateway
- D. Host

**ANSWER: A**

**QUESTION NO: 4**

What is the throughput penalty of Security Group?

- A. 5% per member
- B. Depends on the type of Appliance
- C. 10% per Security Group with no relation to amount of members
- D. 1% per member

**ANSWER: D**

#### QUESTION NO: 5

What is the distribution mode?

- A. Distribution mode is the same as QSFP mode
- B. Distribution mode is how the Orchestrator distributes traffic in between Security Groups
- C. Distribution mode means selected algorithm for traffic distribution in between Orchestrators
- D. Distribution mode means selected algorithm for traffic distribution in between Appliances

**ANSWER: D**

#### QUESTION NO: 6

What command should be used for collecting diagnostic information about the orchestrator?

- A. cpinfo
- B. orch\_info
- C. cpview
- D. asg pert -v

**ANSWER: B**

#### QUESTION NO: 7

What is the default IP range of CIN network (with no increment)?

- A. 192.168.1.0
- B. 198 .51 .100. 0
- C. The same as Management network
- D. 192. 0 .2 .0

**ANSWER: B**

**QUESTION NO: 8**

What is the purpose of RJ-45 connectors located at the front panel of the Orchestrator MHO-170?

- A. Two Out-of-band interfaces for access to Orchestrator itself
- B. Out-of-band interface for access to Orchestrator itself and Serial Console connector
- C. 1Gbps connectivity for Security Groups
- D. Reserved for internal purposes. Not in use

**ANSWER: B**

**QUESTION NO: 9**

What does asg monitor command do?

- A. Monitor health status of entire system
- B. This command does not exist
- C. Monitor traffic on Appliances in Security Group
- D. Show real-time cluster status of Appliances in Security Group

**ANSWER: D**

**QUESTION NO: 10**

What cannot be learned from the output of asg monitor command?

- A. Appliances cluster status
- B. Port status
- C. Uptime
- D. Security Policy status

**ANSWER: B**