

DUMPS ARENA

Google Cloud - Apigee Certified API Engineer

Google Apigee-API-Engineer

Version Demo

Total Demo Questions: 10

Total Premium Questions: 126

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which are characteristics of the PopulateCache and ResponseCache policies'? Select all that are correct

- A. PopulateCache has a TimeOfYear expiry option
- B. PopulateCache allows you to cache any string object.
- C. ResponseCache has separate policy definitions for Lookup vs. Populate cache operations.
- D. ResponseCache caches the complete HTTP response (including headers).

ANSWER: C**QUESTION NO: 2**

When is it appropriate to use query parameters in RESTful API design? Select all that are correct

- A. When passing username and passwords.
- B. When providing the ability to return different levels of detail in the response.
- C. When requesting that an entire collection be deleted.
- D. When filtering the response based upon a query

ANSWER: B D**QUESTION NO: 3**

When using a Shared Flow from a Flow Hook, which proxies will call the Shared Flow?

- A. All proxies in the environment where the Flow Hook is configured
- B. Only proxies that contain a Flow Callout policy
- C. All proxies within an Organization
- D. Only proxies with the Flow Hook checkbox checked

ANSWER: B

QUESTION NO: 4

Your API generates tokens to authenticate users. You have the following requirements

1. Limited token lifetime.
2. Managed key rotation.
3. Self-verifiable content.
- 4 Compact data representation
5. Refresh without new challenge.

You plan to use SAML2 Which two of the above-listed requirements are satisfied by using SAML2? Choose 2 answers

- A. Limited token lifetime.
- B. Managed key rotation
- C. Self-verifiable content
- D. Compact data representation
- E. Refresh without a new challenge

ANSWER: A**QUESTION NO: 5**

Which are NOT a step in the OAuth 2.0 authorization code grant process? Select all that are correct

- A. generate an authorization code
- B. generate an access token
- C. verify the device ID
- C. validate the client API key
- D. obtain the end user's consent for the application to request the user's protected resources
- E. validate the developer name

ANSWER: A D E**QUESTION NO: 6**

As an API Engineer you have been asked to automate the build process for Apigee deployments. You decide to build a new tool to deploy the API Bundles using the Apigee

Management API. What would be the correct approach?

- A. You should deploy an Apigee microgateway
- B. Management APIs need a separate API product for security reasons.
- C. Each management API you plan to use should be turned into an Apigee Proxy.
- D. Management APIs should be called directly from the tool to the Apigee gateway

ANSWER: D

QUESTION NO: 7

You need to log certain data to a custom logging service while processing the response

You want to avoid processing delays due to logging during the logic flow What should you do?

- A. Use a Node.JS target to implement a nonblocking call.
- B. Attach a Message Logging policy to the Post Client Flow
- C. Implement a Java Extension Callout with a worker thread
- D. Use an asynchronous Service Callout policy in your proxy (low as soon as you have enough data to log

ANSWER: A

QUESTION NO: 8

Your APIs are configured as a relying party on an OpenID Connect platform. You need to inspect and verify the OpenID Connect identity. What two actions should you take?

Choose 2 answers

- A. Verify the signature of the JWT using a shared secret.
- B. Parse the JWT to extract the exp, nbf and iat properties to determine if the token is still valid
- C. Pass the JWT to a preconfigured 3rd party for verification of the signature, exp, nbf and iat properties
- D. Use the OpenID Connect URL to locate a trusted 3rd party for verification the signature, exp, nbf and iat properties
- E. Using the JWS URL in the OpenID Connect configuration, fetch the signing key to verify the JWT signature and parameters

ANSWER: B E

QUESTION NO: 9

Which of the following properties have type as "required" in the OpenAPI Specification 2.0?

Choose 3 answers

- A. Info
- B. host
- C. paths
- D. license
- E. swagger
- F. basePath
- G. produces
- H. consumes

ANSWER: C F H

QUESTION NO: 10

Which features are supported in the OAuthV2 policy? Choose 3 answers

- A. Storing of external access tokens
- B. Setting custom attributes for generated access tokens
- C. Credentials validation when password grant type is used
- D. Setting different expiration for refresh and access tokens.

ANSWER: B C D