

DUMPS ARENA

MikroTik Certified Network Associate Exam

MikroTik MTCNA

Version Demo

Total Demo Questions: 15

Total Premium Questions: 216

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

There can be more than one PPPoE server in a single broadcast domain:

- A. True
- B. False

ANSWER: A

QUESTION NO: 2

Why is it useful to set a Radio Name on the radio interface?

- A. To identify a station in a list of connected clients
- B. To identify a station in Neighbor discovery
- B. To identify a station in the Access List:

ANSWER: B

QUESTION NO: 3

Which of the following protocols uses both TCP and UDP?

- A. FTP
- B. SMTP
- C. Telnet
- D. DNS

ANSWER: D

QUESTION NO: 4

Evaluate the following information:

Access Point configuration:

-- wlan1 is in 'AP-Bridge' mode

-- Bridge1 has wlan1 and ether1 as ports

CPE configuration:

-- wlan1 is in 'Station-Bridge' mode

-- Bridge1 has wlan1 and ether1 as ports

Select protocols that will pass from ether1 on the CPE to ether1 on the Access Point.

- A. IPv4
- B. ARP
- C. USB
- D. BGP
- E. Firewire
- F. IPv6
- G. DHCP
- H. PPPoE

ANSWER: A B F G H

QUESTION NO: 5

In MikroTik RouterOS, Layer3 communication between 2 hosts can be achieved by using an address subnet of:

- A. /31
- B. /29
- C. /32
- D. /30

ANSWER: B C D

QUESTION NO: 6

From which of the following locations can you obtain Winbox?

- A. Router's webpage
- B. Files menu in your router
- C. Via the console cable
- D. mikrotik.com

ANSWER: A D

QUESTION NO: 7

Consider the following network diagram. In R1, you have the following configuration:

```
/ip route
```

```
add dst-address=192.168.1.0/24 gateway=192.168.99.2
```

```
/ip firewall nat
```

```
add chain=srcnat out-interface=Ether1 action=masquerade
```

On R2, if you wish to prevent all access to a server located at 192.168.1.10 from LAN1 devices, which of the following rules would be needed?

- A. /ip firewall filter add chain=forward srcaddress=192.168.99.1 dst-address=192.168.1.10 action=drop
- B. /ip firewall filter add chain=forward srcaddress=192.168.0.0/24 dstaddress=192.168.1.10 action=drop
- C. /ip firewall filter add chain=input srcaddress=192.168.99.1 dst-address=192.168.1.10 action=drop
- D. /ip firewall nat add chain=dstnat srcaddress=192.168.99.1 dst-address=192.168.1.10 action=drop

ANSWER: C

QUESTION NO: 8

In a network with dozens of switches, how many root bridges would you have?

- A. 1
- B. 2
- C. 5

D. 12

ANSWER: A

QUESTION NO: 9

Which one of the following is true regarding VLANs?

- A. Two VLANs are configured by default on all Cisco switches.
- B. VLANs only work if you have a complete Cisco switched internetwork. No off-brand switches are allowed.
- C. You should not have more than 10 switches in the same VTP domain.
- D. VTP is used to send VLAN information to switches in a configured VTP domain.

ANSWER: D

QUESTION NO: 10

What are the two main types of access control lists (ACLs)?

- Standard
- IEEE
- Extended
- Specialized

- A. 1 and 3
- B. 2 and 4
- C. 3 and 4
- D. 1 and 2

ANSWER: A

QUESTION NO: 11

Which of the following are valid IP addresses?

- A. 10.10.14.0
- B. 192.168.256.1
- C. 192.168.13.255
- D. 1.27.14.254

ANSWER: A C D

QUESTION NO: 12

What is possible with Netinstall?

- A. MikroTik RouterOS reinstall
- B. MikroTik RouterOS password reset with saving router's configuration
- C. MikroTik RouterOS configuration reset

ANSWER: A B C

QUESTION NO: 13

To connect your MikroTik router to a wireless access point, you have to:

- A. Use the same SSID as on accesspoint
- B. Use the same Radio Name
- C. Use the same Band (5 GHz, 2.4 GHz, ...)

ANSWER: A C

QUESTION NO: 14

Which of the following allows a router to respond to an ARP request that is intended for a remote host?

- A. Gateway DP
- B. Reverse ARP (RARP)
- C. Proxy ARP

D. Inverse ARP (IARP)

ANSWER: C

QUESTION NO: 15

When backing up your router by using the 'Export' command, the following happens:

- A. Winbox usernames and passwords are backed up
- B. The Export file can be edited with a standard text editor after its creation
- C. You are requested to give the export file a name

ANSWER: B C