

DUMPS ARENA

SAP Certified Development Associate - SAP Fiori Application Developer

SAP C FIORDEV 21

Version Demo

Total Demo Questions: 10

Total Premium Questions: 79

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Your customer requests a special create method to enable the creation of the full OData hierarchy. Which OData service method can you use?

- A. CREATE_DEEP_ENTITY
- B. EXECUTE_DEEP_INSERT
- C. CREATE_STREAM
- D. CREATE_BATCH_ENTITY

ANSWER: A**QUESTION NO: 2**

Which model type in SAPUI5 does NOT support one-way and two-way binding from model to view?

- A. Resource model
- B. XML model
- C. JSON model
- D. OData model

ANSWER: A**QUESTION NO: 3**

You need to configure a SAP Web IDE destination to extend an existing SAP Fiori app. Which configuration setting for the WebIDEUsage property is required?

- A. ui5_execute_abap
- B. extend_fiori
- C. dev_abap
- D. odata_fiori

ANSWER: C

QUESTION NO: 4

You develop an SAP Fiori sales app to display sales order information from the backend system. Which of the following model types do you use?

- A. Resource model
- B. JSON model
- C. OData model
- D. XML model

ANSWER: C

QUESTION NO: 5

What result do you expect from the de-composition and re-composition phases? (3 answers)

- A. The prevention of irrelevant data being shown to the user
- B. A purpose-built app to support personas
- C. A responsive de-composed design
- D. The break-down of a large transaction
- E. An adaptive and coherent app

ANSWER: A B D

QUESTION NO: 6

Your customer wants to extend an SAP Fiori app through a Controller Extension. When can a controller extension lead to a crash? (2 answers)

- A. If the original code required to run the application is overwritten
- B. If the extension code accesses parts of the original application that were removed
- C. If the extension code exists and is NOT referenced in the original view

D. If the extension code exists in the extended app but the controller name is changed by an app update

ANSWER: A B

QUESTION NO: 7

You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- A. `Assert.strictEqual(0,-0,"true");`
- B. `Assert.strictEqual(0,null,"true");`
- C. `Assert.strictEqual(0,"","Ttrue");`
- D. `Assert.strictEqual(0,"0","true");`

ANSWER: A

QUESTION NO: 8

For which operations will the SAP Gateway server compute and return a new ETag in a response header? (2 answers)

- A. DELETE
- B. POST
- C. PUT
- D. GET

ANSWER: B C

QUESTION NO: 9

In the design thinking phase of your customer project, one design is accepted as viable. What other attributes need to be valid for this design to be considered? (2 answers)

- A. Feasible
- B. Usable
- C. Achievable

D. Desirable

ANSWER: A D

QUESTION NO: 10

You develop an SAPUI5 app that updates data on the SAP back-end system. What activities are required when you implement an XSRF token? (2 answers)

- A. Include the token in the HTTP request body of each write request
- B. Execute the Refresh method for an expired token
- C. Retrieve the token and send it with each service request
- D. Generate a token on each read and write request

ANSWER: B C