

DUMPS ARENA

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Mulesoft MCD-Level1-Delta

Version Demo

Total Demo Questions: 10

Total Premium Questions: 101

Buy Premium PDF


<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Refer to the exhibit.



What can be added to the flow to persist data across different flow executions?

- A. Key/value pairs in the ObjectStore
- B. Properties of the Mule runtime flow object
- C. properties of the Mule runtime app object
- D. session variables

ANSWER: A

QUESTION NO: 2

Why would a Mule application use the `${http.port}` property placeholder for its HTTP Listener port when it is deployed to CloudHub?

- A. Allows CloudHub to automatically change the HTTP port to allow external clients to connect to the HTTP Listener
- B. Allows CloudHub to automatically register the application with API Manager

C. Allows MuleSoft Support to troubleshoot the application by connecting directly to the HTTP Listener

D. Allows clients to VPN directly to the application at the Mule application's configured HTTP port

ANSWER: A

QUESTION NO: 3

What is the correct syntax for a Logger component to output a message with the contents of a 3SON Object payload?

- A. The payload is: \$(payload)
- B. #["The payload is: " ++ payload]
- C. The payload is: #[payload]
- D. #["The payload is: " + payload]

ANSWER: B

QUESTION NO: 4

Refer to the exhibits.



The Set Payload transformer In the addItem subflow uses DataWeave to create an order object.

What is the correct DataWeave code for the Set Payload transformer in the createOrder flow to use the addItem subflow to add a router cable with the price of 100 to the order?

- A. addItemf { payload: { price: "100", item: "router", itemType: "cable" } >)
- B. lookupf "addItem", { payload: { price: "100", item: "router", itemType: "cable" } })

- C. addItem { price: "100", item: "router", itemType: "cable" }
- D. lookup "addItem", { price: "100", item: "router", itemType: "cable" }

ANSWER: B

QUESTION NO: 5

Refer to the exhibits.

```
<flow name="acceptOrder">
  <http:listener doc:name="HTTP: POST /order" config-ref="HTTP_Listener_config"
    path="/order" allowedMethods="POST">
    <http:error-response >
      <http:body ><![CDATA[#[output text/plain --- payload]]]></http:body>
    </http:error-response>
  </http:listener>
  <file:write doc:name="Write" config-ref="File_Config" path="newOrder.json">
    <error-mapping sourceType="FILE:CONNECTIVITY" targetType="ORDER:NOT_CREATED" />
    <file:content ><![CDATA[#[output application/json --- payload]]]></file:content>
  </file:write>
  <set-payload value="#['File written']" doc:name="File written" />
</flow>
```

A web client sends a POST request with the payload { "oid": "1000", "itemid": "AC200", "qty": "4" } to the Mule application. The File Write operation throws a FILE:CONNECTIVITY error.

What response message is returned to the web client?

- A. "FILE:CONNECnvnY"
- B. "ORDER:NOT_CREATED"

C. "OTHER ERROR"

D. "File written"

ANSWER: A

QUESTION NO: 6

Refer to the exhibit.



```
<flow name="main">
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <http:request method="POST" doc:name="HTTP: POST /data" url="http://localhost:8081/data"/>
  <jms:publish-consume doc:name="JMS: num1" config-ref="JMS_Config" destination="num1"/>
  <jms:publish doc:name="JMS: num2" config-ref="JMS_Config" destination="num2"/>
  <set-payload value="#[payload + 1]" doc:name="payload + 1" />
</flow>
```

What payload is returned from a request to http://localhost.8081/

Refer to the exhibits, what payload is returned from a request to http://localhost;8081/?

- A. 1
- B. 2
- C. 3
- D. 4

ANSWER: C

QUESTION NO: 7

Refer to the exhibits.



The orders.csv file is read, then processed to look up the orders in a database. The Mule application is debugged in Any point Studio and stops at the breakpoint.

What is the payload shown in the debugger at this breakpoint?

- A. "none"
- B. The entire CSV file
- C. The database response
- D. 100

ANSWER: D

QUESTION NO: 8

Refer to the exhibits.



Message Flow Global Elements Configuration XML

Set to XML x Problems Console

There are no errors.

General

Metadata

Notes

Display Name: Set to XML

Settings

<ns2:listAllFlightsResponse xmlns:ns2="http://soap.training.mulesoft.com">
<return>

Encoding: [dropdown]

MIME Type: [dropdown]

```
<flow name="getFlights" >  
  <http:listener doc:name="HTTP: GET /Flights" config-ref="HTTP_listener_config" path="/flights"/>  
  <set-payload value="&lt;ns2:listAllFlightsResponse xmlns:ns2='http://soap.training.mulesoft.com/'&gt;  
    &lt;return&gt;  
    &lt;airlineName&gt;Delta&lt;/airlineName&gt;  
    &lt;code&gt;A1B2C3&lt;/code&gt;  
    &lt;departureDate&gt;2015/03/20&lt;/departureDate&gt;  
    &lt;/return&gt;  
    &lt;/ns2:listAllFlightsResponse&gt;" doc:name="Set to XML" />  
  <ee:transform doc:name="typeOf(payload)" doc:id="43898508-15e2-4cb7-8d0b-bd9c2929209e" >  
    <ee:message><ee:set-payload ><![CDATA[%dw 2.0  
      output application/json  
      ---  
      typeOf(payload)]]></ee:set-payload>  
    </ee:message>  
  </ee:transform>  
</flow>
```

A web client submits a request to `http://localhost:8081 /flights`. What is the result at the end of the flow?

- A. "string"
- B. "Java"
- C. "object"
- D. "XML"

ANSWER: C

QUESTION NO: 9

Refer to the exhibit.



```

<flow name="validatePayload" >
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <set-payload value="Before" doc:name="Before" />
  <validation:is-null doc:name="payload" value="#[payload]" message="Validation Error"/>
  <set-payload value="After" doc:name="After" />
</flow>

```

What is the response to a web client request to http://localhost:8081?

- A. After
- B. before
- C. Validation Error
- D. null

ANSWER: A

QUESTION NO: 10

A Mule application contains two HTTP Listeners, each configured for different API endpoints: http://acme.com/apis/orders and http://acme.com/apis/customers.

What base path value should be set in an HTTP Listener config element so that it can be used to configure both HTTP Listeners?

- A. /apis/?
- B. /apis/
- C. /apis/orders|customers

D. /apis/

ANSWER: D