

# DUMPS ARENA

## Administration of Symantec ProxySG 6.7

Symantec 250-556

Version Demo

Total Demo Questions: 10

Total Premium Questions: 70

Buy Premium PDF

<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)  
[dumpsarena.co](https://dumpsarena.co)

**QUESTION NO: 1**

Which two (2) environments will IP surrogate credentials NOT work in? (Choose two.)

- A. With devices that use Network Address Translation
- B. Out-of-path deployments
- C. Transparent deployments
- D. Explicit deployments
- E. Multi-user environments such as Citrix

**ANSWER: A E**

**QUESTION NO: 2**

Which deployment method represents a single point of failure? (Choose the best answer.)

- A. Explicit
- B. Basic
- C. Transparent
- D. Inline

**ANSWER: D**

**QUESTION NO: 3**

Which two (2) categories of traffic are typically left encrypted? (Choose two.)

- A. Gambling
- B. News Media
- C. Social Media
- D. Financial Services
- E. Health

**ANSWER: D E**

**QUESTION NO: 4**

Which two (2) methods are recommended to solve Schannel congestion? (Choose two.)

- A. Use Kerberos authentication.
- B. Use origin-cookie-redirect credentials.
- C. Use special purpose agents.
- D. Use NTLM credentials.
- E. Use IP surrogate credentials.

**ANSWER: A D**

**QUESTION NO: 5**

Which kind of authentication credentials might Schannel congestion in IWA direct realms be an issue with? (Choose the best answer.)

- A. NTLM
- B. Surrogate credentials
- C. Kerberos
- D. Basic

**ANSWER: B**

**QUESTION NO: 6**

What is a drawback to utilizing apparent data types to detect the file type? (Choose the best answer.)

- A. Does not block "drive-by" malware installation
- B. Less accurate than HTTP content type detection
- C. Presents a security risk
- D. Most resource-intensive

**ANSWER: D**

**QUESTION NO: 7**

Which section of a policy trace would an administrator locate the original HTTP GET request in? (Choose the best answer.)

- A. Connection info
- B. HTTP section
- C. Policy decision
- D. Header

**ANSWER: D**

**QUESTION NO: 8**

When must BCAA be used? (Choose the best answer.)

- A. When an administrator needs to establish more than one Schannel to increase performance.
- B. When more than one ProxySG are deployed
- C. When the ProxySG is unable to directly utilize APIs that require traditional operating systems.
- D. When Basic credentials are used

**ANSWER: C**

**QUESTION NO: 9**

What are two (2) access methods to the ProxySG? (Choose two.)

- A. From a smartphone running the Symantec app
- B. Via the enterprise wireless network
- C. From the front panel of the appliance
- D. A direct connection via a serial cable to the serial console
- E. From the back panel of the appliance

**ANSWER: B D**

**QUESTION NO: 10**

Which two (2) situations might require a reverse DNS lookup? (Choose two.)

- A. If the access log is enabled and a field in the access log requires a hostname
- B. If both the primary and alternate forward DNS servers go down
- C. If primary authentication fails
- D. If a policy trigger event requires it
- E. If a forward DNS lookup fails

**ANSWER: A D**