

DUMPS ARENA

FortiMail 5.3.8 Specialist

Fortinet NSE6 FML-5.3.8

Version Demo

Total Demo Questions: 5

Total Premium Questions: 30

Buy Premium PDF


<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Examine the FortiMail active-passive cluster shown in the exhibit; then answer the question below.



Primary HA Interface Configuration

HA Interface

Port:	<u>port1...</u>
Enable port monitor	<input type="checkbox"/>
Heartbeat status:	Disable
Peer IP address:	0.0.0.0
Peer IPv6 address:	::
Virtual IP action:	Ignore
Virtual IP address:	0.0.0.0 / 0
Virtual IPv6 address:	:: / 0

Which of the following parameters are recommended for the Primary FortiMail's HA interface configuration? (Choose three.)

- A. Enable port monitor: disable
- B. Peer IP address: 172.16.32.57
- C. Heartbeat status: Primary
- D. Virtual IP address: 172.16.32.55/24
- E. Virtual IP action: Use

ANSWER: C D E

QUESTION NO: 2

An organization has different groups of users with different needs in email functionality, such as address book access, mobile device access, email retention periods, and disk quotas. Which FortiMail feature specific to server mode can be used to accomplish this?

- A. Resource profiles
- B. Address book management options
- C. Access profiles
- D. Domain-level service settings

ANSWER: D

QUESTION NO: 3

Examine the FortiMail session profile and protected domain configuration shown in the exhibit; then answer the question below.

The screenshot shows the FortiMail configuration interface for a Session Profile. The 'SMTP Limits' section is expanded, showing the following settings:

Setting	Value
Restrict number of EHLO/HELOs per session to:	3
Restrict number of email per session to:	10
Restrict number of recipients per email to:	500
Cap message size (KB) at:	51200
Cap header size (KB) at:	10240
Maximum number of NOOPs allowed for each connection:	10
Maximum number of RSETs allowed for each connection:	20

Domains

Domain name:

Is subdomain

Main domain:

LDAP User Profile:

Advanced Settings

Mail Routing LDAP profile:

Remove received header of outgoing email

Webmail theme:

Webmail language:

Maximum message size(KB):

Automatically add new users to address book:


Which size limit will FortiMail apply to outbound email?

- A. 204800
- B. 51200
- C. 1024
- D. 10240

ANSWER: A

QUESTION NO: 4

Examine the FortiMail topology and access receive rule shown in the exhibit; then answer the question below.



FortiMail

Access Control Rule

Enabled

Sender pattern: Regular expression

Recipient pattern: Regular expression

Sender IP/netmask: Regular expression

/

Reverse DNS pattern: Regular expression

Authentication status:

TLS profile:

Action:

Comments:

An administrator must enforce authentication on FML-1 for all outbound email from the example.com domain. Which of the following settings should be used to configure the access receive rule? (Choose two.)

- A. The Sender IP/netmask should be set to 10.29.1.0/24
- B. The Authentication status should be set to Authenticated
- C. The Recipient pattern should be set to *@example.com
- D. The Action should be set to Reject

ANSWER: C D

QUESTION NO: 5

A FortiMail administrator is investigating a sudden increase in DSNs being delivered to the protected domain for undeliverable email messages. After searching the logs, the administrator identifies that the DSNs were not generated as a result of any outbound email sent from the protected domain. Which FortiMail antispam technique can the administrator use to prevent this scenario? (Choose one.)

- A. Bounce address tag validation

- B.** Spam outbreak protection
- C.** Spoofed header detection
- D.** FortiGuard IP Reputation

ANSWER: B