

# DUMPS ARENA

## Fortinet NSE 6 - FortiMail 6.2

Fortinet NSE6 FML-6.2

Version Demo

Total Demo Questions: 5

Total Premium Questions: 30

Buy Premium PDF


<https://dumpsarena.co>

[sales@dumpsarena.co](mailto:sales@dumpsarena.co)

sales@dumpsarena.co  
dumpsarena.co

**QUESTION NO: 1**

Refer to the exhibit.



Access Control Rule	
Enabled:	<input checked="" type="checkbox"/>
Sender:	User Defined *
Recipient:	User Defined *
Source:	IP/Netmask 0.0.0.0/0
Reverse DNS pattern:	* <input type="checkbox"/> Regular Expression
Authentication status:	Any
TLS profile:	--None-- <input type="button" value="+ New..."/> <input type="button" value="Edit..."/>
Action:	Reject
Comments:	

It is recommended that you configure which three access receive settings to allow outbound email from the example.com domain on FML-1? (Choose three.)

- A. The Sender pattern should be set to \*@example.com
- B. The Action should be set to Relay
- C. The Recipient pattern should be set to 10.29.1.45/24
- D. The Enable check box should be cleared
- E. The Sender IP/netmask should be set to 10.29.1.45/32

**ANSWER: B D E**

### QUESTION NO: 2

Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal, and there are no unnecessary failovers?

- A. Break the cluster, upgrade the units independently, and then form the cluster
- B. Upgrade both units at the same time
- C. Upgrade the standby unit, and then upgrade the active unit
- D. Upgrade the active unit, which will upgrade the standby unit automatically

**ANSWER: B**

**Explanation:**

Reference: <https://docs.fortinet.com/document/fortimail/6.2.0/administration-guide/725928/upgrading-firmware-on-ha-units>

### QUESTION NO: 3

Which FortiMail option removes embedded code components in Microsoft Word, while maintaining the original file format?

- A. Behavior analysis
- B. Impersonation analysis
- C. Content disarm and reconstruction
- D. Header analysis

**ANSWER: C**

**Explanation:**

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/8c063dd3-bafe-11e9-a989-00505692583a/fortimail-admin-620.pdf> (435)

**QUESTION NO: 4**

A FortiMail is configured with the protected domain example.com.

On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

- A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org
- B. MAIL FROM: support@example.com RCPT TO: marketing@example.com
- C. MAIL FROM: training@external.org RCPT TO: students@external.org
- D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

**ANSWER: C D****Explanation:**

Reference: [https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d-11ea-9384-00505692583a/FortiMail-6.4.0-Administration\\_Guide.pdf](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d-11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf) (30)

**QUESTION NO: 5**

Refer to the exhibit.

### Session Profile

Profile name:

SMTP Limits

Restrict number of EHLO/HELOs per session to:

Restrict number of email per session to:

Restrict number of recipients per email to:

Cap message size (KB) at:

Cap header size (KB) at:

Maximum number of NOOPs allowed for each connection:

Maximum number of RSETs allowed for each connection:

### FortiMail

Domain name:

Relay type:

SMTP server:  Port  [Test.]

Use SMTPS

Fallback SMTP server:  Port  [Test.]

Use SMTPS

Relay Authentication

### Other

Webmail theme:

Webmail language:

Maximum message size(KB):

SMTP greeting (EHLO/HELO) name (as client)

IP pool:  Direction:

Remove received header of outgoing email

Use global bayesian database

Bypass bounce verification

Which message size limit will FortiMail apply to the outbound email?

- A. 204800
- B. 1024
- C. 51200
- D. 10240

**ANSWER: A**