

DUMPS ARENA

IBM Cognos Analytics Developer V11.1.x

IBM C1000-065

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

What is a Cognos Analytics data set?

- A. The data that is returned from the datasource and displayed within a report, dashboard or exploration.
- B. The Cognos Analytics name for a Python DataFrame in a Jupyter Notebook.
- C. An extract from a package or data module compressed, locally stored and refreshed periodically or manually.
- D. A realtime set of data held in a streaming cache on the Cognos Analytics server.

ANSWER: C

QUESTION NO: 2

What is a Compare card in a Cognos Analytics Exploration?

- A. A static view/card used to compare and view data across visualizations with different filters.
- B. A view/card that uses a specialized algorithm (XGCompare) to analyse data and generate a driver
- C. A view/card used to allow the interactive comparison of data across two visualizations with different filters.
- D. A view/card used to compare data from one database with a different set of data from another database.

ANSWER: B

QUESTION NO: 3

Which two items can the opposite edge Crosstab in a report?

- A. The value of a member
- B. A selected measure
- C. Member caption
- D. Node member
- E. Crosstab intersection

ANSWER: C E

QUESTION NO: 4

When selecting the Layout positioning property for a dashboard, which is the correct option for dashboards that will be presented on different mobile devices?

- A. Unbounded
- B. Relative
- C. Conditional
- D. Absolute

ANSWER: C

QUESTION NO: 5

What property needs to be set to ensure that any JavaScript and Prompt APIs are executed when a report is run as HTML?

- A. Ensure Enable bidirectional support is checked
- B. Run with full interactivity is set to No
- C. Enable drill up and drill down in the report output
- D. Guided report layout is checked

ANSWER: D

QUESTION NO: 6

In which two places is AI used in a dashboard line chart visualization?

- A. The legend
- B. Forecast
- C. Data point shape
- D. Axis tick marks
- E. Meaningful differences

ANSWER: D E

QUESTION NO: 7

In which two ways can a specific visualization in a dashboard be filtered?

- A. A developer can only keep or exclude data points within an axis.
- B. A developer can create a Calculation within the dashboard that will filter a specific visualization.
- C. A developer can also add a local filter to filter a column or to define a filter condition.
- D. A developer can build an embedded filter in a data module.
- E. A developer can keep or exclude a few data points in the visualization.

ANSWER: A B

QUESTION NO: 8

What is the effect of changing the Default measure property of a Crosstab in a report if a measure is already set by one of the existing edges?

- A. the Crosstab values remain the same and the Crosstab corner displays the Default measure's name
- B. the Default measure replaces the existing measure in the Crosstab edges
- C. the Default measure is displayed in the Crosstab intersections
- D. an error is produced

ANSWER: A

QUESTION NO: 9

Which two statements are true when creating navigation paths?

- A. A data module can have multiple navigation paths.
- B. A modeler must delete the navigation path and re-create it to change the path.
- C. Columns from different tables cannot be added to a navigation path.
- D. A navigation path is a collection of Group Data columns.

E. A navigation path is a collection of non-measure columns.

ANSWER: B E

QUESTION NO: 10

A developer can make a Cognos PowerCube available to end users by creating a package and publishing it. From which three components is this possible?

- A. Administration console
- B. PowerPlay Client
- C. PowerPlay Studio
- D. Framework Manager
- E. Transformer
- F. Microsoft Studio

ANSWER: A D E

Explanation:

: https://www.ibm.com/support/knowledgecenter/SSEP7J_11.1.0/com.ibm.swg.ba.cognos.ug_cra.doc/c_powercubes_ds.html