

DUMPS ARENA

Oracle Autonomous Database Cloud 2020 Specialist

Oracle 1z0-931-20

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsarena.co>

sales@dumpsarena.co

sales@dumpsarena.co
dumpsarena.co

QUESTION NO: 1

Which three event types are supported for Autonomous Database? (Choose three.)

- A. Update IORM Begin
- B. Maintenance Begin
- C. Terminate End
- D. Change Autoscaling Configuration Compartment
- E. Change Compartment Begin

ANSWER: A C E**QUESTION NO: 2**

You have a requirement to create an Autonomous Transaction Processing database that can support at least 200 concurrent statements per OCPU as well as parallelism. Which service will you need to connect to? (Choose the best answer.)

- A. TP
- B. Low
- C. MEDIUM
- D. TPURGENT

ANSWER: D**Explanation:**

Reference: <https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/manage-priorities.html#GUID-610D50B3-A0F0-4059-B940-324E305C5F55>

QUESTION NO: 3

When working with an Autonomous Exadata Infrastructure supporting Autonomous Databases, where do you go to view the maintenance history of the Exadata? (Choose the best answer.)

- A. Under Core Infrastructure then Compute then Autonomous Exadata
- B. Under Database then Autonomous Transaction Processing then Autonomous Exadata
- C. Under Solutions and Platform then Platform Services then Autonomous Exadata

D. Under Core Infrastructure then Autonomous Exadata

ANSWER: D

Explanation:

Reference: <https://docs.oracle.com/en-us/iaas/Content/Database/Concepts/adbddoverview.htm>

QUESTION NO: 4

Which Autonomous Database Service is NOT used to connect to an Autonomous Transaction Processing instance? (Choose the best answer.)

- A. HIGH
- B. TPPERFORMANT
- C. MEDIUM
- D. TPURGENT
- E. LOY

ANSWER: B

QUESTION NO: 5

Which three Oracle Cloud Infrastructure (OCI) resources do you need to configure before provisioning your Autonomous Database with Private Endpoint? (Choose three.)

- A. Security List
- B. Route Table
- C. Subnet
- D. VCN
- E. Network Security Group

ANSWER: C D E

Explanation:

Reference: <https://docs.oracle.com/en-us/iaas/Content/Database/Concepts/adbsprivateaccess.htm>

QUESTION NO: 6

Which two license types does the customer need to benefit from BYOL when leveraging on-premise Enterprise Database licenses in Oracle Autonomous Database? (Choose two.)

- A. Transparent Data Encryption
- B. Exadata
- C. Active Data Guard
- D. RAC, but only when scaling beyond 16 OCPUs
- E. Multitenant

ANSWER: B E**Explanation:**

Reference:

<https://www.oracle.com/a/ocom/docs/dc/bringyourownlicenseanduniversal.pdf?elqTrackId=26f964e6f1bf44c0b6a2c12ff99dc-a24&elqaid=81058&elqat=2>

QUESTION NO: 7

You have an Autonomous Transaction Processing Database with three OCPUs and auto scaling turned on and your application is using the TPURGENT service.

The load on the database increases from three OCPUs to nine OCPUs.

What is the total number of concurrent statements that the TPURGENT service can support? (Choose the best answer.)

- A. 2700
- B. 1500
- C. 900
- D. 1800

ANSWER: A**QUESTION NO: 8**

When using Data Pump to migrate your Oracle database to Autonomous Database, which two objects are imported? (Choose two.)

- A. Schemas
- B. Tablespaces

C. Reports

D. Data

ANSWER: A D

QUESTION NO: 9

What command should you issue to enable application continuity on Autonomous Database Shared Infrastructure? (Choose the best answer.)

- A. alter session set application_continuity=true
- B. alter database set application_continuity=true
- C. exec dbms_cloud_admin.enable_app_cont("");
- D. alter system set application_continuity=true

ANSWER: C

Explanation:

Reference: <https://docs.oracle.com/en/cloud/paas/autonomous-database/adbsa/application-continuity.html#GUID-8874CB1D-0B20-461F-91D2-24E2EE4148A3>

QUESTION NO: 10

What are three methods to load data into the Autonomous Database? (Choose three.)

- A. Oracle GoldenGate
- B. Oracle Data Pump
- C. RMAN Restore
- D. Transportable Tablespace
- E. SQL*Loader

ANSWER: A B E